Version 2.1

Revision Date 10/01/2023

Print Date 05/19/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP 65 CITRUS FOAM

Material number : 3701C

Manufacturer or supplier's details						
Company	:	Zep Inc.				
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada				
Telephone	:	Compliance Services - 877-428-9937				

Emergency telephone numbers			
For SDS Information	:	Compliance Services - 877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded.	

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear, light yellow
Odour	characteristic

GHS Classification

Gases under pressure Eye irritation Skin sensitisation	: Liquefied gas : Category 2A : Sub-category 1B
GHS label elements	
Hazard pictograms	: Gas cy linder Gas cy linder Exclamation mark
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.

Version 2.1	Revision Date 10/01/2023	Print Date 05/19/2024
	H317 May cause an allergic skin i H319 Causes serious eye irritatior	
Precautionary statements	 Prevention: P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after H P272 Contaminated work clothing the workplace. P280 Wear protective gloves/ eye Response: P302 + P352 IF ON SKIN: Wash Y P305 + P351 + P338 IF IN EYES: for several minutes. Remove cont easy to do. Continue rinsing. P333 + P313 If skin irritation or ratadvice/ attention. P337 + P313 If eye irritation persist attention. P362 + P364 Take off contaminator reuse. Storage: P410 + P403 Protect from sunligh place. Disposal: P501 Dispose of contents/contain regulation. 	handling. should not be allowed out of protection/ face protection. with plenty of water. Rinse cautiously with water act lenses, if present and sh occurs: Get medical sts: Get medical advice/ ed clothing and wash it before t. Store in a well-ventilated

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
butane	106-97-8	>= 1 - < 5
2-(2-butoxyethoxy)ethanol	112-34-5	>= 1 - < 5
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 5
d-limonene	5989-27-5	>= 1 - < 5
sodium dodecylbenzenesulfonate	25155-30-0	>= 1 - < 5
propane	74-98-6	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 Do not leave the victim unattended. Get medical attention immediately. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician.

Version 2.1	Revision Date 10/01/2023	Print Date 05/19/2024
	Wash off immediately with plent minutes. Wash contaminated clothing be Remove contaminated clothing	fore reuse.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsin If eye irritation persists, consult Rinse immediately with plenty o for at least 15 minutes.	a specialist.
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to If symptoms persist, call a phys DO NOT induce vomiting unless physician or poison control cent	ician. s directed to do so by a
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delay Symptoms may include blisterin Effects are dependent on exposision contact time). Causes serious eye damage. Causes skin irritation. Review section 2 of SDS to see 	g, irritation, burns, and pain. sure (dose, concentration,
Notes to physician	: Treat symptomatically. Sympto	ms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

Version 2.1

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Evacuate personnel to safe areas.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Always replace cap after use. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Take precautionary measures against static discharges. Avoid exposure - obtain special instructions before use. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	1,000 ppm	CA AB OEL

Version 2.1

Revision Date 10/01/2023 Print Date 05/19/2024

1		TWA	600 ppm	CA BC OEL
		STEL	750 ppm	CA BC OEL
		TWAEV	800 ppm 1,900 mg/m3	CA QC OEL
		STEL	1,000 ppm	ACGIH
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
propane	74-98-6	TWA	1,000 ppm	CA AB OEL
		TWA	1,000 ppm	CA BC OEL
		TWAEV	1,000 ppm 1,800 mg/m3	CA QC OEL
		TWA	1,000 ppm	CA ON OEL

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Tightly fitting safety goggles Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear, light yellow
Odour	: characteristic
Odour Threshold	: No data available
рH	: No data available
Melting point/freezing point	: No data available
Boiling point	: not determined

Version 2.1

Revision Date 10/01/2023 Print Date 05/19/2024

Flash point	:
	Not applicable
Evaporation rate	: not determined
Flammability (solid, gas, liquid)	: The product is not flammable.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: not determined
Relative vapour density	: No data available
Density	: 1.004 g/cm3
Solubility(ies)	
Water solubility	: not determined
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Heat of combustion	: <20 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects	
Aggravated Medical Condition	: None known.

Version 2.1	Revision Date 10/01/2023	Print Date 05/19/2024
Symptoms of Overexposure	 Effects are immediate and delay Symptoms may include blisterin Effects are dependent on exposision contact time). Causes serious eye damage. Causes skin irritation. Review section 2 of SDS to see Treat symptomatically. Sympton 	g, irritation, burns, and pain. ure (dose, concentration, all potential hazards.
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as proba human carcinogen by IARC.	ent at levels greater than or ble, possible or confirmed
ACGIH	No component of this product prese equal to 0.1% is identified as a care carcinogen by ACGIH.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 Method: Calculation method	mg/kg
Components:		
Alcohols, C9-11, ethoxylated Acute oral toxicity	1: : LD50 Oral Rat: 1,400 mg/kg	
d-limonene: Acute oral toxicity	: LD50 Oral Rat: 4,400 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: > 5,000 m	g/kg
sodium dodecylbenzenesulf Acute oral toxicity		
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Serious eye damage/eye irritatio	n	
Product:		
Remarks: Severe eye irritation	I	
Respiratory or skin sensitisation		
Product:		
Remarks: Causes sensitisatio	n.	

Version 2.1

Components:

d-limonene:

Classification: May cause sensitisation by skin contact.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data availab	le
butane :		
Partition coefficient: n-	: Pow: 2.89	
octanol/water		
2-(2-butoxyethoxy)ethanol :		
Partition coefficient: n-	: Pow: 1	
octanol/water		
d-limonene :		

Version 2.1	Revision Date 10/01/2023	Print Date 05/19/2024
Partition coefficient: n- octanol/water	: log Pow: 4.232	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

Version 2.1

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

DSLThis product contains one or more components that are listed on the
Canadian NDSL. All other components are on the Canadian DSL.TSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information: Hazard pictograms Gas cylinder Exclamation mark Signal word Warning: Contains gas under pressure; may explode if heated. May cause an allergic skin Hazard statements reaction. Causes serious eye irritation. Precautionary statements Prevention: Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allow ed out of the w orkplace. Wear protective gloves/ eye protection/ face protection. Response: IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Storage: Protect from sunlight. Store in a well-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	2.1
Revision Date:	10/01/2023
Print Date:	05/19/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this

Version 2.1

Revision Date 10/01/2023

document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.