Version 1.1

Revision Date 10/01/2023

Print Date 05/18/2024

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

:	ZEP CLEAN'EMS SPIRIT II WIPES 80CT 6/CS_CA		
:	02290588		
:	650880C		
Manufacturer or supplier's details			
:	Zep Inc.		
:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada		
:	Compliance Services - 877-428-9937		
	: deta :		

## Emergency telephone numbers

For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		

#### Recommended use of the chemical and restrictions on use

This product is regulated under the Canadian Federal Food and Drug Regulations of Health Canada. The warnings presented below in this Safety Data Sheet (SDS) comply with the WHMIS 2015 Hazardous Products Regulation (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of product regulated under the Canadian Federal Food and Drug Regulations of Health Canada may differ from those required for GHS based hazard communication.

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	liquid
Colour	colourless
Odour	characteristic

#### **GHS Classification**

Eye irritation Specific target organ toxicity -	: Category 2A : Category 2
repeated exposure	
(Inhalation)	

Version 1.1	Revision Date 10/01/2023	Print Date 05/18/2024
GHS label elements		

Hazard pictograms	: Exclamation mark
Signal word	: Warning
Hazard statements	: H319 Causes serious eye irritation.
Precautionary statements	<ul> <li>Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> </ul>

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
2-(2-butoxyethoxy)ethanol	112-34-5	>= 5 - < 10
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on skin, rinse well with water.</li> <li>If on clothes, remove clothes.</li> </ul>
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>If in eyes, rinse with water for 15 minutes.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> </ul>

Version 1.1	Revision Date 10/01/2023	Print Date 05/18/2024
	If eye irritation persists, consult a sp	pecialist.
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do NOT induce vomiting.</li> <li>Never give anything by mouth to an If symptoms persist, call a physiciar Take victim immediately to hospital.</li> </ul>	ı.
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed. Symptoms may include irritation, red Causes serious eye irritation. Review section 2 of SDS to see all	
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Prevent product from entering drains.</li> <li>If the product contaminates rivers and lakes or drains, inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Version 1.1

Revision Date 10/01/2023 Print Date 05/18/2024

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	Do not breathe vapours or spray mist. Avoid contact with eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited application area. Dispose of rinse water in accordance with local ar regulations.	
Conditions for safe storage	Keep container tightly closed in a dry and well-ver place. Electrical installations / working materials must co the technological safety standards.	
Materials to avoid	Store and keep away from, oxidizing agents and a	acids.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
Engineering measures	: effective vent	ilation in all proce	essing areas	
Personal protective equipme	nt			
Respiratory protection	required. Follow person product label areas soiled In the workpla respiratory proventilation is	nal protective equivalent when using this with blood or bod ace- If a significa rotection unless a provided or expo	tive equipment norm upment guidance not product, especially if y fluids. nt exposure or spill o adequate local exhaus sure assessment der mmended exposure	ccurs, use st
Hand protection Material	: Latex gloves Protective glo	oves		
Remarks	items soiled y gloves. Follow on the produce	with blood or bod w personal protec ct label when usi	sinfect surfaces or har y fluids use disposab ctive equipment guida ng this product, espec od or body fluids.	le latex ance noted

Version 1.1	Revision Date 10/01/2023	Print Date 05/18/2024
	In the workplace- If a significant exp chemical-resistant gloves if prolonge possible or likely.	•
Eye protection	: Safety glasses with side-shields Ensure that eyewash stations and s the workstation location.	afety showers are close to
Skin and body protection	: For general disinfecting, no special Follow personal protective equipmen product label when using this product areas soiled with blood or body fluid	nt guidance noted on the ct, especially if cleaning
	Choose body protection in relat concentration and amount of dan to the specific work-place.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	11.5 - 12.5
Melting point/freezing point	:	No data available
Boiling point	:	> 100 °C
Flash point	:	> 93.3 °C Method: closed cup
Upper explosion limit	:	not determined
Lower explosion limit	:	not determined
Vapour pressure	:	No data available
Density	:	1 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available

Version 1.1	Revision Date 10/01/2023	Print Date 05/18/2024

## Viscosity Viscosity, kinematic : 3

: 3.8 mm2/s (20 °C)

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Oxidizing agents Acids Alkali metals
Hazardous decomposition products	: Carbon oxides Nitrogen oxides (NOx) Ammonia

## SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects are immediate and delayed.</li> <li>Symptoms may include irritation, redness, pain, and rash.</li> <li>Causes serious eye irritation.</li> <li>Review section 2 of SDS to see all potential hazards.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
Acute toxicity	
Product:	

Version 1.1

Revision Date 10/01/2023

Print Date 05/18/2024

Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg
		Method: Calculation method

#### Skin corrosion/irritation

#### Product:

Result: Mild skin irritation Method: Third Party Data - Actual or Inferred

#### Serious eye damage/eye irritation

### Product:

Result: Eye irritation Method: Third Party Data - Actual or Inferred

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

#### **Components:**

tetrasodium ethylenediaminetetraacetate: Exposure routes: Inhalation Assessment: May cause damage to organs through prolonged or repeated exposure.

#### Aspiration toxicity

No data available

#### **Further information**

Product:

Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Version 1.1	Revision Date 10/01/2023	Print Date 05/18/2024
<u>Product:</u> Toxicity to fish Toxicity to daphnia and other aquatic invertebrates	: Remarks: Toxic to aquatic organi Harmful to aquatic organisms, ma adverse effects in the aquatic env : Remarks: Harmful to aquatic orga long-term adverse effects in the a Toxic to aquatic organisms.	sms. ay cause long-term rironment. anisms, may cause
Persistence and degradability No data available Bioaccumulative potential		
<u>Product:</u> Partition coefficient: n- octanol/water <u>Components:</u> 2-(2-butoxyethoxy)ethanol:	: Remarks: No data available	
Partition coefficient: n- octanol/water	: Pow: 1	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> <li>Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Provincial Environmental control agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.</li> </ul>
Contaminated packaging	: Empty remaining contents. Dispose of as unused product.

Version 1.1

Revision Date 10/01/2023

Print Date 05/18/2024

Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

#### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

Version 1.1

Revision Date 10/01/2023

Print Date 05/18/2024

#### SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

Hazard pictograms	: Exclamation mark
Signal w ord	: Warning:
Hazard statements Precautionary statements	Causes serious eye irritation.
	<b>Prevention:</b> Wash skin thoroughly after handling. Wear eye protection/face protection. <b>Response:</b> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	medical advice/ attention.

Version:	1.1
Revision Date:	10/01/2023
Print Date:	05/18/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.