Version 1.1

Revision Date 10/01/2023

Print Date 05/20/2024

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP HD DRY FOAM SHAMPOO CLEANR\_12CS

Material number : G93912C

| Manufacturer or supplier's details |   |                                                           |  |  |
|------------------------------------|---|-----------------------------------------------------------|--|--|
| Company                            | : | Zep Inc.                                                  |  |  |
| Address                            | : | 11627 - 178 Street<br>Edmonton, Alberta T5S 1N6<br>Canada |  |  |
| Telephone                          | : | Compliance Services - 877-428-9937                        |  |  |

| Emergency telephone nu            | mbe | rs                                           |
|-----------------------------------|-----|----------------------------------------------|
| For SDS Information               | :   | Compliance Services - 877-428-9937           |
| For a Medical Emergency           | :   | 877-541-2016 Toll Free - All Calls Recorded  |
| For a Transportation<br>Emergency | :   | CHEMTREC: 800-424-9300 - All Calls Recorded. |

Recommended use of the chemical and restrictions on use

#### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

| Appearance | Aerosol containing a liquefied gas |
|------------|------------------------------------|
| Colour     | No data available                  |
| Odour      | No data available                  |

#### **GHS** Classification

| Flammable aerosols<br>Gases under pressure | : Category 1<br>: Liquefied gas                                                                 |
|--------------------------------------------|-------------------------------------------------------------------------------------------------|
| GHS label elements                         |                                                                                                 |
| Hazard pictograms                          | :<br>Flame Gas cylinder                                                                         |
| Signal word                                | : Danger                                                                                        |
| Hazard statements                          | : H222 Extremely flammable aerosol.<br>H280 Contains gas under pressure; may explode if heated. |

| Version 1.1              | Revision Date 10/01/2023                                                                                                                                                                                                                                             | Print Date 05/20/2024                                                          |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Precautionary statements | <ul> <li>Prevention:<br/>P210 Keep away from heat, hot s<br/>and other ignition sources. No sn<br/>P211 Do not spray on an open fla<br/>P251 Do not pierce or burn, even<br/>Storage:<br/>P410 + P412 Protect from sunlightemperatures exceeding 50 °C/ 1</li> </ul> | noking.<br>ame or other ignition source.<br>after use.<br>nt. Do not expose to |

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

| Chemical name                | CAS-No.   | Concentration [%] |
|------------------------------|-----------|-------------------|
| 2-butoxyethanol              | 111-76-2  | >= 1 - < 5        |
| tetrapotassium pyrophosphate | 7320-34-5 | >= 1 - < 5        |

#### **SECTION 4. FIRST AID MEASURES**

| General advice                                              | : | Do not leave the victim unattended.<br>Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.                                                                                                           |
|-------------------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| lf inhaled                                                  | : | If unconscious, place in recovery position and seek medical<br>advice.<br>If symptoms persist, call a physician.                                                                                                                         |
| In case of skin contact                                     | : | If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.<br>Wash off immediately with plenty of water for at least 15<br>minutes.                                          |
| In case of eye contact                                      | : | Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.<br>In case of contact, immediately flush eyes with plenty of water<br>for at least 15 minutes. |
| If swallowed                                                | : | Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>DO NOT induce vomiting unless directed to do so by a<br>physician or poison control center.         |
| Most important symptoms and effects, both acute and delayed | : | Effects may be delayed, symptoms may include minor eye or skin irritation.<br>Overexposure may cause mild eye or skin irritation.                                                                                                        |
| Notes to physician                                          | : | Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                          |

Version 1.1

Revision Date 10/01/2023 Print Date 05/20/2024

#### SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media                  | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.                                |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Unsuitable extinguishing media                | : High volume water jet                                                                                   |
| Hazardous combustion products                 | : Carbon dioxide (CO2)<br>Carbon monoxide<br>Smoke                                                        |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information                           | : Standard procedure for chemical fires.                                                                  |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                  |

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions,<br>protective equipment and<br>emergency procedures | : | Use personal protective equipment.<br>Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Beware of vapours accumulating to form explosive<br>concentrations. Vapours can accumulate in low areas. |
|---------------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Environmental precautions                                                 | : | Prevent further leakage or spillage if safe to do so.<br>Prevent product from entering drains.<br>If the product contaminates rivers and lakes or drains, inform<br>respective authorities.                                                            |
| Methods and materials for containment and cleaning up                     | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).                                                                                                                                                 |

#### SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | <ul> <li>Do not breathe vapours or spray mist.</li> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> </ul> |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                         | Smoking, eating and drinking should be prohibited in the application area.                                                                                                                                             |
|                         | Take precautionary measures against static discharges.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Dispose of rinse water in accordance with local and national<br>regulations.                |
|                         | Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not                                                                                           |

| Version 1.1                 | Revision Date 10/01/2023                                                                                                                | Print Date 05/20/2024     |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
|                             | be employed in any process in wh<br>used.<br>Always replace cap after use.                                                              | ich this mixture is being |
| Conditions for safe storage | <ul> <li>Keep container tightly closed in a place.</li> <li>Containers which are opened mus kept upright to prevent leakage.</li> </ul> |                           |
| Materials to avoid          | : Strong oxidizing agents                                                                                                               |                           |

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components      | CAS-No.  | Value type<br>(Form of<br>exposure) | Control<br>parameters /<br>Permissible<br>concentration | Basis     |
|-----------------|----------|-------------------------------------|---------------------------------------------------------|-----------|
| 2-butoxyethanol | 111-76-2 | TWA                                 | 20 ppm                                                  | CA AB OEL |
|                 |          |                                     | 97 mg/m3                                                |           |
|                 |          | TWA                                 | 20 ppm                                                  | CA BC OEL |
|                 |          | TWAEV                               | 20 ppm                                                  | CA QC OEL |
|                 |          |                                     | 97 mg/m3                                                |           |
|                 |          | TWA                                 | 20 ppm                                                  | ACGIH     |

#### **Biological occupational exposure limits**

| Components       | CAS-No.  | Control parameters             | Biological specimen | Samplin<br>g time                                                          | Permissible<br>concentratio<br>n | Basis        |
|------------------|----------|--------------------------------|---------------------|----------------------------------------------------------------------------|----------------------------------|--------------|
| 2-BUTOXYE THANOL | 111-76-2 | Butoxyaceti<br>c acid<br>(BAA) | Urine               | End of<br>shift (As<br>soon as<br>possible<br>after<br>exposure<br>ceases) | 200 mg/g<br>Creatinine           | ACGIH<br>BEI |

Engineering measures : effective ventilation in all processing areas

#### Personal protective equipment

| Respiratory protection   | : | Use respiratory protection unless adequate local exhaust<br>ventilation is provided or exposure assessment demonstrates<br>that exposures are within recommended exposure guidelines. |
|--------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hand protection          |   |                                                                                                                                                                                       |
| Material                 | : | Gloves                                                                                                                                                                                |
| Remarks                  | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves.                                                                             |
| Eye protection           | : | Eye wash bottle with pure water<br>Tightly fitting safety goggles                                                                                                                     |
| Skin and body protection | : | <b>Impervious clothing</b><br>Choose body protection according to the amount and                                                                                                      |

| Version 1.1      | Revision Date 10/01/2023                                                                         | Print Date 05/20/2024 |
|------------------|--------------------------------------------------------------------------------------------------|-----------------------|
|                  | concentration of the dangerous place.                                                            | substance at the work |
| Hygiene measures | : When using do not eat or drink.<br>When using do not smoke.<br>Wash hands before breaks and at | the end of workday.   |

gas

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance                                 | : Aerosol containing a liquefied |
|--------------------------------------------|----------------------------------|
| Colour                                     | : No data available              |
| Odour                                      | : No data available              |
| Odour Threshold                            | : No data available              |
| рН                                         | : No data available              |
| Boiling point                              | : 93.02 °C                       |
| Flash point                                | : -73 °C                         |
| Evaporation rate                           | : No data available              |
| Flammability (solid, gas,<br>liquid)       | : Extremely flammable aerosol.   |
| Upper explosion limit                      | : No data available              |
| Lower explosion limit                      | : No data available              |
| Vapour pressure                            | : 1,859.51 hPa (21.1 °C)         |
| Density                                    | : 0.95 g/cm3                     |
| Solubility(ies)                            |                                  |
| Water solubility                           | : No data available              |
| Partition coefficient: n-<br>octanol/water | : No data available              |
| Auto-ignition temperature                  | : 460 °C                         |
| Thermal decomposition                      | : No data available              |
| Viscosity                                  |                                  |
| Viscosity, kinematic                       | : No data available              |
|                                            |                                  |

### SECTION 10. STABILITY AND REACTIVITY

| Reactivity         | : | Stable                          |
|--------------------|---|---------------------------------|
| Chemical stability | : | Stable under normal conditions. |

| Version 1.1                      | Revision Date 10/01/2023                            | Print Date 05/20/2024 |
|----------------------------------|-----------------------------------------------------|-----------------------|
| Possibility of hazardous         | : No decomposition if stored and app                | blied as directed.    |
| reactions<br>Conditions to avoid | : Heat, flames and sparks.<br>Exposure to sunlight. |                       |
| Incompatible materials           | : Strong oxidizing agents                           |                       |
| Hazardous decomposition products | : No hazardous decomposition produ                  | ucts are known.       |

#### SECTION 11. TOXICOLOGICAL INFORMATION

| Potential Health Effects<br>Aggravated Medical<br>Condition | : None known.                                                                                                                                                                                                            |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Symptoms of Overexposure                                    | <ul> <li>Effects may be delayed, symptoms may include minor eye or<br/>skin irritation.</li> <li>Overexposure may cause mild eye or skin irritation.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul> |
| Carcinogenicity:                                            |                                                                                                                                                                                                                          |
| IARC                                                        | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.                                                                  |
| ACGIH                                                       | Confirmed animal carcinogen with unknown relevance to humans                                                                                                                                                             |
|                                                             | 2-butoxyethanol 111-76-2                                                                                                                                                                                                 |
| Acute toxicity                                              |                                                                                                                                                                                                                          |
| Product:                                                    |                                                                                                                                                                                                                          |
| Acute oral toxicity                                         | : Acute toxicity estimate : > 5,000 mg/kg<br>Method: Calculation method                                                                                                                                                  |
| Acute inhalation toxicity                                   | : Acute toxicity estimate : > 10 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Calculation method                                                                                                  |
| Acute dermal toxicity                                       | : Acute toxicity estimate : > 5,000 mg/kg<br>Method: Calculation method                                                                                                                                                  |
| Components:                                                 |                                                                                                                                                                                                                          |
| <b>2-butoxyethanol:</b><br>Acute oral toxicity              | : LD50 Oral Rat: 880 mg/kg                                                                                                                                                                                               |

# SAFETY DATA SHEET

| Version 1.1                       | Revision Date 10/01/2023                    | Print Date 05/20/2024 |
|-----------------------------------|---------------------------------------------|-----------------------|
| Acute dermal toxicity             | : LD50 Dermal Rabbit: 1,060 mg/kg           | )                     |
| Skin corrosion/irritation         |                                             |                       |
| Product:                          |                                             |                       |
| Remarks: May cause skin irri      | tation and/or dermatitis.                   |                       |
| Serious eye damage/eye irritati   | on                                          |                       |
| Product:                          |                                             |                       |
| Remarks: Vapours may caus         | e irritation to the eyes, respiratory syste | em and the skin.      |
| Respiratory or skin sensitisatior | 1                                           |                       |
| No data available                 |                                             |                       |
| Germ cell mutagenicity            |                                             |                       |
| No data available                 |                                             |                       |
| Carcinogenicity                   |                                             |                       |
| No data available                 |                                             |                       |
| Reproductive toxicity             |                                             |                       |
| No data available                 |                                             |                       |
| STOT - single exposure            |                                             |                       |
| No data available                 |                                             |                       |
| STOT - repeated exposure          |                                             |                       |
| No data available                 |                                             |                       |
| Aspiration toxicity               |                                             |                       |
| No data available                 |                                             |                       |
| Further information               |                                             |                       |
| Product:                          |                                             |                       |
| Remarks: No data availabl         | e                                           |                       |
|                                   |                                             |                       |
| SECTION 12. ECOLOGICAL INF        | ORMATION                                    |                       |
| Ecotoxicity                       |                                             |                       |
| No data available                 |                                             |                       |
| Persistence and degradability     |                                             |                       |

No data available Bioaccumulative potential

Product:

| Version 1.1                                | Revision Date 10/01/2023     | Print Date 05/20/2024 |
|--------------------------------------------|------------------------------|-----------------------|
| Partition coefficient: n-<br>octanol/water | : Remarks: No data available |                       |
| Mobility in soil                           |                              |                       |
| No data available                          |                              |                       |
| Other adverse effects                      |                              |                       |
| No data available<br><u>Product:</u>       |                              |                       |
| Additional ecological information          | : No data available          |                       |

#### SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods       |                                                                                                                                                                                                                |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | <ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with<br/>chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul> |
| Contaminated packaging | <ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>                 |

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

Version 1.1

Revision Date 10/01/2023

#### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

#### The components of this product are reported in the following inventories:

TSCAOn TSCA InventoryDSLThis product contains one or more components that are listed on the<br/>Canadian NDSL. All other components are on the Canadian DSL.

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

Flame

TSCA (USA), DSL (Canada), NDSL (Canada)

#### **SECTION 16. OTHER INFORMATION**

WHMIS - GHS Label Information:

Hazard pictograms

| Signal w ord             |
|--------------------------|
| Hazard statements        |
| Precautionary statements |

Danger: Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

**Prevention:** Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

| Version:       | 1.1        |
|----------------|------------|
| Revision Date: | 10/01/2023 |
| Print Date:    | 05/20/2024 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes.

Gas cylinder

Version 1.1

Revision Date 10/01/2023

Print Date 05/20/2024

This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.