Version 1.1

Revision Date 10/01/2023

Print Date 05/15/2024

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP ACIDIC TOILET BOWL CLEANER\_3.78L\_4CT

Material number : R43710C

Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada		
Telephone	:	Compliance Services - 877-428-9937		

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded.

Recommended use of the chemical and restrictions on use

## SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	viscous liquid
Colour	green
Odour	characteristic
GHS Classification	
Skin corrosion	: Category 1
Serious eye damage	: Category 1
Conodo oyo damago	
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	: Prevention:

Version 1.1

Revision Date 10/01/2023

Print Date 05/15/2024

P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. **Response:**P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

#### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
hydrochloric acid	7647-01-0	>= 5 - < 10
Amines, tallow alkyl, ethoxylated	61791-26-2	>= 1 - < 3
dodecyldimethylamine oxide	1643-20-5	>= 1 - < 3

#### **SECTION 4. FIRST AID MEASURES**

General advice	Move out of dangerous area. Get medical attention immediately. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
If inhaled	If unconscious, place in recovery position and seek mea advice. If symptoms persist, call a physician.	lical
In case of skin contact	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. If skin irritation persists, call a physician.	5
In case of eye contact	Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Rinse immediately with plenty of water, also under the e	

Version 1.1	Revision Date 10/01/2023	Print Date 05/15/2024
	for at least 15 minutes. Continue rinsing eyes during transp Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a sp	
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>DO NOT induce vomiting unless dia physician or poison control center.</li> <li>Do not give milk or alcoholic bevera Never give anything by mouth to ar Take victim immediately to hospital</li> </ul>	ges. a unconscious person.
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are dependent on exposure contact time).</li> <li>Effects are immediate and delayed.</li> <li>Symptoms may include blistering, in Causes severe skin burns and eye Review section 2 of SDS to see all</li> </ul>	rritation, burns, and pain. damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Chlorine compounds Carbon dioxide (CO2) Carbon monoxide Sulphur oxides Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Version 1.1	Version 1.1 Revision Date 10/01/2023	
Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.	
Environmental precautions	: Prevent product from entering drains Prevent further leakage or spillage if If the product contaminates rivers and respective authorities.	safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent materia acid binder, universal binder, sawdus Keep in suitable, closed containers fo	t).

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Store and keep away from bases and alkalies. Oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrochloric acid	7647-01-0	(c)	2 ppm 3 mg/m3	CA AB OEL
		С	2 ppm	CA BC OEL
		С	5 ppm 7.5 mg/m3	CA QC OEL
		С	2 ppm	ACGIH

#### Engineering measures

: effective ventilation in all processing areas

# Personal protective equipment

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Version 1.1

Revision Date 10/01/2023 Print Date 05/15/2024

Hand protection		
Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. Tightly fitting safety goggles
Skin and body protection	:	<b>Impervious clothing</b> Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	<b>When using do not eat or drink.</b> When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	green
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	1
Melting point/freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	
		Not applicable
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.065 g/cm3
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	completely soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available

Version 1.1	Revision Date 10/01/2023	Print Date 05/15/2024
Auto-ignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Bases Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

## SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	<ul> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Effects are immediate and delayed.</li> <li>Symptoms may include blistering, irritation, burns, and pain.</li> <li>Causes severe skin burns and eye damage.</li> <li>Review section 2 of SDS to see all potential hazards.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul>	
Carcinogenicity:		
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	
Acute toxicity		

Version 1.1

Revision Date 10/01/2023

#### Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

#### Skin corrosion/irritation

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

#### Serious eye damage/eye irritation

#### Product:

Remarks: May cause irreversible eye damage.

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### **Further information**

#### Product:

Remarks: No data available

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

Version 1.1

Revision Date 10/01/2023

Print Date 05/15/2024

Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Additional ecological information	: Not applicable

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID, SULFAMIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID, SULFAMIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID, SULFAMIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID, SULFAMIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID, SULFAMIC ACID), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

Version 1.1

Revision Date 10/01/2023

#### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

#### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

Corrosion

TSCA (USA), DSL (Canada), NDSL (Canada)

#### SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

Hazard pictograms

Signal w ord Hazard statements Precautionary statements

 Danger:

 Causes severe skin burns and eye damage.

 Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

 Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF

 INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	1.1
Revision Date:	10/01/2023
Print Date:	05/15/2024

Version 1.1

Revision Date 10/01/2023

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.