	Version 4.1	Revision Date 10/01/2023	Print Date 06/12/2025
--	-------------	--------------------------	-----------------------

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	MISTY ALPINE MIST HAND-HELD ODOR NEUTRALIZER 20N10 12CT	
Material number	:	0000000001039394	
Manufacturer or supplier's details			
Company	:	Zep Inc.	
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137	
Telephone	:	Compliance Services - 877-428-9937	

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas			
Colour	clear			
Odour	characteristic			

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Skin sensitisation Specific target organ toxicity - single exposure	 Category 1 Liquefied gas Category 2A Category 1 Category 3 (Central nervous system)
GHS label elements	
Hazard pictograms	Flame Gas cylinder Exclamation mark
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H317 May cause an allergic skin reaction.

1201	
Version 4.1	Revision Date 10/01/2023 Print Date 06/12/2025
	H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 5 - < 10
alpha-hexylcinnamaldehyde	101-86-0	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

ersion 4.1	Revision Date 10/01/2023	Print Date 06/12/202	
ECTION 4. FIRST AID MEASU	RES		
General advice		Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
If inhaled	: Consult a physician after sign If unconscious, place in recor advice.	nificant exposure. very position and seek medical	
In case of skin contact	: Remove contaminated clothi Wash contaminated clothing Wash off immediately with so If skin irritation persists, call a	before re-use. bap and plenty of water.	
In case of eye contact	 Rinse immediately with plent If eye irritation persists, cons Remove contact lenses. Protect unharmed eye. Keep eye wide open while rir 		
If swallowed	: Keep respiratory tract clear. Never give anything by mout If symptoms persist, call a ph DO NOT induce vomiting unl physician or poison control c Take victim immediately to h	nysician. less directed to do so by a enter.	
Most important symptoms and effects, both acute and delayed	 Effects are immediate and de Symptoms may include centre resulting in headache, nause Symptoms may include irritat Effects are dependent on exp contact time). Chronic effects are delayed a observed during an exposure Causes serious eye irritation May cause drowsiness or diz Review section 2 of SDS to se Suspected of damaging fertil 	ral nervous system depression, ea and/or dizziness. tion, redness, pain, and rash. posure (dose, concentration, and symptoms may not be e. zziness. see all potential hazards.	

Notes to physician : Treat symptomatically. Symptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	•	Water spray jet Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical
Unsuitable extinguishing media	:	High volume water jet

1201		
Version 4.1	Revision Date 10/01/2023	Print Date 06/12/2025
Specific hazards during firefighting	: Do not allow run-off from fire fig courses.	hting to enter drains or water
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that circumstances and the surround	
Further information	: Fire residues and contaminated be disposed of in accordance w Collect contaminated fire exting must not be discharged into dra Standard procedure for chemica	vith local regulations. uishing water separately. This ins.
Special protective equipment for firefighters	: Wear self-contained breathing a necessary.	apparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.

Version 4.1	Revision Date 10/01/2023	Print Date 06/12/2025
	No smoking. Observe label precautions. Keep in a dry, cool and well-ventil Electrical installations / working m the technological safety standards	aterials must comply with
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components CAS-No. Value type Control Basis (Form of parameters / exposure) Permissible concentration 67-64-1 TWA 250 ppm ACGIH acetone STEL ACGIH 500 ppm TWA 250 ppm NIOSH REL 590 mg/m3 1,000 ppm TWA OSHA Z-1 2,400 mg/m3 TWA 750 ppm OSHA P0 1,800 mg/m3 STEL 1,000 ppm OSHA P0 2,400 mg/m3 STEL CAL PEL 750 ppm 1,780 mg/m3 С 3,000 ppm CAL PEL PEL 500 ppm CAL PEL 1,200 mg/m3 TWA NIOSH REL 74-98-6 1,000 ppm propane 1,800 mg/m3 TWA OSHA Z-1 1,000 ppm 1,800 mg/m3 TWA 1,000 ppm OSHA P0 1,800 mg/m3 PEL 1,000 ppm CAL PEL 1,800 mg/m3

Components with workplace control parameters

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of	25 mg/l	ACGIH BEI
				shift (As	-	
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Engineering measures : effective ventilation in all processing areas

Version 4.1	Revision Date 10/01/2023	Print Date 06/12/2025
Personal protective equipr	nent	
Respiratory protection	: No personal respiratory protective required.	equipment normally
Hand protection Remarks	: Skin should be washed after conta	ict.
Eye protection	: Always wear eye protection when eye contact with the product cannot	•
Skin and body protection	: No special protection is required.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	clear
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	Net en liezhie
		Not applicable
Evaporation rate	:	not determined
Flammability (solid, gas, liquid)	:	Extremely flammable aerosol.
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	70 hPa
Relative vapour density	:	No data available
Density	:	< 1 g/cm3
Solubility(ies)		
Water solubility	:	partly soluble
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	No data available

/ersion 4.1	Revision Date 10/01/2023	Print Date 06/12/2025
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 34.80 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Symptoms may include irritation, redness, pain, and rash. Effects are dependent on exposure (dose, concentration, contact time). Chronic effects are delayed and symptoms may not be observed during an exposure. Causes serious eye irritation. May cause drowsiness or dizziness. Review section 2 of SDS to see all potential hazards. Suspected of damaging fertility or the unborn child. Treat symptomatically. Symptoms may be delayed.

Version 4.1 Carcinogenicity: IARC ACGIH	Revision Date 10/01/2023 No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC. No component of this product presen equal to 0.1% is identified as a carcin		
IARC	equal to 0.1% is identified as probabl human carcinogen by IARC. No component of this product presen		
IARC	equal to 0.1% is identified as probabl human carcinogen by IARC. No component of this product presen		
	equal to 0.1% is identified as probabl human carcinogen by IARC. No component of this product presen		
ACGIH	No component of this product presen		
OSHA	carcinogen by ACGIH. No component of this product present at levels greater than o		
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than o equal to 0.1% is identified as a known or anticipated carcinog by NTP.		
Acute toxicity			
Components:			
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg		
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h		
	LC50 Rat: 50.1 mg/l		
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg		
	LD50 Rabbit: > 7,426 mg/kg		
Skin corrosion/irritation			
Product:			
Remarks: May irritate skin.			
Serious eye damage/eye irritatio	on		
Product:			
Remarks: Severe eye irritatio	n		
Respiratory or skin sensitisation	n		
Components:			
alpha-hexylcinnamaldehyd Classification: May cause ser			
Germ cell mutagenicity			
No data available			
Carcinogenicity			
No data available			

Version 4.1	Revision Date 10/01/2023	Print Date 06/12/2025
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		

Remarks: Not applicable

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available **Bioaccumulative potential**

Product:

Partition coefficient: n- octanol/water	: Remarks: No data ava	ilable
Components:		
alpha-hexylcinnamaldehyde		
Partition coefficient: n-	: log Pow: 4.686	
octanol/water		

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

Version 4.1	Revision Date 10/01/2023	Print Date 06/12/2025
	+ B).	
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

Version 4.1

Revision Date 10/01/2023

Print Date 06/12/2025

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
hydroquinone	123-31-9	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Respiratory or skin sensitisation
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	
	This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

Version 4.1

Revision Date 10/01/2023

Print Date 06/12/2025

SECTION 16. OTHER INFORMATION

Further information

NFPA:

HEALTH	3
FLAMMABILITY	4
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	3*
FLAMMABILITY	4
PHYSICAL HAZARD	1

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms		
	Flame Gas cylinder Exclamation	
	mark	
Signal word	: Danger:	
Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. 	
Precautionary statements		
	Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	

Version 4.1

Revision Date 10/01/2023

Print Date 06/12/2025

Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection. **Response:** IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse. **Storage:** Store in a well-ventilated place. Keep container tightly closed. Protect from

sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. **Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	4.1
Revision Date:	10/01/2023
Print Date:	06/12/2025

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.