Version 3.2	Revision Date 10/01/2023	Print Date 04/19/2024

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP PROFESSIONAL AUTOMATIC FLOOR SCRUBBER SOLUTION CONCENTRATE
Material number	:	0000000001041546
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	liquid
Colour	violet
Odour	pleasant

#### **GHS** Classification

Skin corrosion Serious eye damage Specific target organ toxicity - repeated exposure (Inhalation)	: Category 1 : Category 1 : Category 2
GHS label elements	
Hazard pictograms	
Signal word	Health hazard Corrosion : Danger
	Ŭ
Hazard statements	<ul> <li>H314 Causes severe skin burns and eye damage.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>

Version 3.2	Revision Date 10/01/2023	Print Date 04/19/2024
Precautionary statements	<ul> <li>Prevention: P260 Do not breathe dust/fume/ P264 Wash skin thoroughly after P280 Wear protective gloves/ pro protection/ face protection. <b>Response:</b> P301 + P330 + P331 IF SWALLO induce vomiting. P303 + P361 + P353 IF ON SKIN immediately all contaminated clow water/shower. P304 + P340 + P310 IF INHALEI and keep comfortable for breathin POISON CENTER/doctor. P305 + P351 + P338 + P310 IF I water for several minutes. Removiand easy to do. Continue rinsing. CENTER/doctor.</li> <li>P314 Get medical advice/ attenti P363 Wash contaminated clothin <b>Disposal:</b> P501 Dispose of contents/contai regulation.</li> </ul>	handling. btective clothing/ eye DWED: Rinse mouth. Do NOT N (or hair): Take off thing. Rinse skin with D: Remove person to fresh air ng. Immediately call a IN EYES: Rinse cautiously with ve contact lenses, if present . Immediately call a POISON on if you feel unwell. ng before reuse.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 5 - < 10
2-butoxyethanol	111-76-2	>= 3 - < 5
sodium xylenesulphonate	1300-72-7	>= 3 - < 5
Sodium metasilicate (disodium salt)	6834-92-0	>= 1 - < 3
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

#### SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.

Version 3.2		Revision Date 10/01/2023	Print Date 04/19/2024
In case of skin contact	:	Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.	
In case of eye contact	:	Small amounts splashed into eyes tissue damage and blindness. Rinse immediately with plenty of w for at least 15 minutes. Continue rinsing eyes during transp Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a s	ater, also under the eyelids, port to hospital.
If swallowed	:	Clean mouth with water and drink a Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic bevera Never give anything by mouth to a If symptoms persist, call a physicia Take victim immediately to hospita	ages. n unconscious person. an.
Most important symptoms and effects, both acute and delayed	:	Symptoms may include blistering, i Chronic effects are delayed and sy observed during an exposure. Effects are dependent on exposure contact time). Causes severe skin burns and eye May cause damage to organs throu exposure if inhaled. Review section 2 of SDS to see all	vmptoms may not be e (dose, concentration, e damage. ugh prolonged or repeated
Notes to physician	:	Treat symptomatically. Symptoms	may be delayed.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry ch carbon dioxide.	emical or
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter d courses.	rains or water
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Smoke	

Version 3.2	Revision Date 10/01/2023	Print Date 04/19/2024
Specific extinguishing methods	Sulphur oxides : Use extinguishing measures that a circumstances and the surrounding	
Further information	: Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fir be disposed of in accordance with	s. re extinguishing water must
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	paratus for firefighting if

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents Do not store near acids.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Version 3.2

Revision Date 10/01/2023

Print Date 04/19/2024

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL

### **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-BUTOXYE THANOL	111-76-2	Butoxyacetic acid (BAA)		End of shift (As soon as possible after exposure ceases)	200.mg/g Creatinine	ACGIH BEI

Engineering measures	:	effective	ventilation	in al	I processing areas
----------------------	---	-----------	-------------	-------	--------------------

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material Remarks		Gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Version 3.2

Revision Date 10/01/2023

Print Date 04/19/2024

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: violet
Odour	: pleasant
Odour Threshold	: No data available
рН	: 12.5 - 13.0
Melting point/freezing point	: No data available
Boiling point	: 104.44 °C
Flash point	:
	does not flash
Evaporation rate	: 1
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.081 g/cm3
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: 5 mm2/s (20 °C)

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available

Version 3.2	Revision Date 10/01/2023	Print Date 04/19/2024
Incompatible materials	: Oxidizing agents Acids	
Hazardous decomposition products	: Carbon monoxide, carbon dioxide hydrocarbons (smoke).	and unburned

### SECTION 11. TOXICOLOGICAL INFORMATION

### **Potential Health Effects**

Aggravated Medical Condition	: None known.		
Symptoms of Overexposure	<ul> <li>Symptoms may include blistering, irritation, burns, and pain. Chronic effects are delayed and symptoms may not be observed during an exposure. Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.</li> </ul>		
Carcinogenicity:			
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed		
ACGIH	human carcinogen by IARC. Confirmed animal carcinogen with unknown relevance to humans 2-butoxyethanol 111-76-2		
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.		
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
Acute toxicity			
Product:			
Acute oral toxicity	: Acute toxicity estimate : 4,802 mg/kg Method: Calculation method		
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour		

CONCENTRATE		
Version 3.2	Revision Date 10/01/2023	Print Date 04/19/2024
	Method: Calculation method	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Components:		
<b>2-butoxyethanol:</b> Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg	
Sodium metasilicate (disod Acute oral toxicity	<b>lium salt):</b> : LD50 Rat: 1,153 mg/kg	
Alcohols, C9-11, ethoxylat Acute oral toxicity	ed: : LD50 Oral Rat: 1,400 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosiv	e and destructive to tissue.	
Serious eye damage/eye irritat	ion	
Product:		
Remarks: May cause irrevers	sible eye damage.	
Respiratory or skin sensitisatio	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
Components:		
tetrasodium ethylenediam Exposure routes: Inhalatio		anastad averagues

Assessment: May cause damage to organs through prolonged or repeated exposure.

Version 3.2	Revision Date 10/01/2023	Print Date 04/19/2024
Aspiration toxicity		

#### Aspiration toxicity

No data available

### **Further information**

### Product:

Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

### Persistence and degradability No data available Bioaccumulative potential

Product:	

Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> </ul>

Version 3.2	Revision Date 10/01/2023	Print Date 04/19/2024
	Dispose of in accordance with local regulations.	
Contaminated packaging	: Empty remaining contents. Dispose of as unused product.	

Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ethylbenzene	100-41-4	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

Version 3.2	Revision Date 10/01/2023	Print Date 04/19/2024
-	ous Substances Reportable Quantit any components with a section 304 El	-
SARA 311/312 Hazards	Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)	
SARA 302	: No chemicals in this material are su requirements of SARA Title III, Sect	, , ,
SARA 313	: The following components are subjected established by SARA Title III, Section 2-butoxyethanol	
California Prop. 65		
	WARNING: This product can expo including ethylbenzene, which is/a	

www.P65Warnings.ca.gov.

California to cause cancer. For more information go to

#### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

**SECTION 16. OTHER INFORMATION** 

Version 3.2

Revision Date 10/01/2023

Print Date 04/19/2024

### **Further information**

NFPA:

HEALTH	3
FLAMMABILITY	0
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

### HMIS III:

HEALTH	3*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

### **OSHA - GHS Label Information:**

Hazard pictograms	Health hazard
Signal w ord	: Danger:
Hazard statements	<ul> <li>Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>
Precautionary statements	
	<ul> <li>Prevention: Do not breathe dust/fume/ gas/mist/ vapours/spray. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical advice/attention if you feel unw ell. Wash contaminated clothing before reuse.</li> </ul>

Version 3.2

Revision Date 10/01/2023

Print Date 04/19/2024

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	3.2
Revision Date:	10/01/2023
Print Date:	04/19/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.