Version 3.1	Revision Date 10/01/2023	Print Date 04/26/2024
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION	
Material name	: ZEP PROFESSIONAL AUTOMATI DETERGENT	C DISHWASHING

Material number	:	00000000001041926	
Manufacturer or supplier's details			
Company	:	Zep Inc.	
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137	
Telephone	:	Compliance Services - 877-428-9937	

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency		877-541-2016 Toll Free - All Calls Recorded
For a Transportation		CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	powder
Colour	white
Odour	Chlorine

GHS Classification

Skin corrosion Serious eye damage Specific target organ toxicity - single exposure	: Category 1 : Category 1 : Category 3 (Respiratory system)
GHS label elements	
Hazard pictograms	Corrosion Exclamation
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.
Precautionary statements	: Prevention: P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling.

Version 3.1	Revision Date 10/01/2023	Print Date 04/26/2024
	P271 Use only outdoors or in a well-ver	ntilated area.
	P280 Wear protective gloves/ protective protection/ face protection.	e clothing/ eye
	Response:	
	P301 + P330 + P331 IF SWALLOWED induce vomiting.	: Rinse mouth. Do NOT
	P303 + P361 + P353 IF ON SKIN (or h	air): Take off
	immediately all contaminated clothing.	
	P304 + P340 + P310 IF INHALED: Ren and keep comfortable for breathing. Imi	•
	POISON CENTER/doctor.	modiatory bail a
	P305 + P351 + P338 + P310 IF IN EYE water for several minutes. Remove con	
	and easy to do. Continue rinsing. Imme CENTER/doctor.	•
	P363 Wash contaminated clothing befo	re reuse.
	Storage: P403 + P233 Store in a well-ventilated tightly closed.	place. Keep container

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
sodium carbonate	497-19-8	>= 30 - < 60
Sodium metasilicate (disodium salt)	6834-92-0	>= 10 - < 30
troclosene sodium, dihydrate	51580-86-0	>= 1 - < 5
tetrasodium pyrophosphate	7722-88-5	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15

Version 3.1	Revision Date 10/01/2023	Print Date 04/26/2024
	minutes. If on clothes, remove clothes.	
In case of eye contact	 Small amounts splashed into eyes tissue damage and blindness. Continue rinsing eyes during transp Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s Rinse immediately with plenty of wards 	pecialist.
If swallowed	 Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic bevera Never give anything by mouth to an If symptoms persist, call a physicia Take victim immediately to hospita 	n unconscious person. n.
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed Symptoms may include blistering, i Symptoms may include shortness irritation of the nose, eyes, lips, mo Effects are dependent on exposure contact time). Causes severe skin burns and eye May cause respiratory irritation. Review section 2 of SDS to see all 	rritation, burns, and pain. of breath, dry cough, and buth, and throat. e (dose, concentration, damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Phosphorus compounds Chlorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Version 3.1	Revision Date 10/01/2023	Print Date 04/26/2024
Special protective equipment for firefighters	: Wear self-contained breathing appareters in the self-contained bre	ratus for firefighting if
SECTION 6 ACCIDENTAL RELEA		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	: Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
tetrasodium pyrophosphate	7722-88-5	TWA	5 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA P0
		PEL	5 mg/m3	CAL PEL

Version 3.1	Revision Date 10/01/2023	Print Date 04/26/2024
Engineering measures	: effective ventilation in all processing	areas
Personal protective equipme	nt	
Respiratory protection	: Use respiratory protection unless ac ventilation is provided or exposure a that exposures are within recommer	assessment demonstrates
Hand protection Material Remarks	 Protective gloves The suitability for a specific workplace with the producers of the protective 	
Eye protection	: Access to clean water to rinse eyes include: eye wash stations or showe with pure water. Tightly fitting safety goggles	must be available, options ers, or eye wash bottles
	Wear face-shield and protective suit problems.	for abnormal processing
Skin and body protection	: Impervious clothing Choose body protection according t concentration of the dangerous sub-	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at th	ne end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	Chlorine
Odour Threshold	:	No data available
рН	:	11.5 - 12.5, 1 %(as aqueous solution)
Melting point/freezing point	:	No data available
Boiling point	:	Not applicable
Flash point	:	
		Not applicable
Evaporation rate	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Density	:	No data available

Print Date 04/26/2024

Version 3.1	Revision Date 10/01/2023
Solubility(ies)	
Water solubility	: partly soluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air. No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Acids and bases Organic materials Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat. Effects are dependent on exposure (dose, concentration, contact time). Causes severe skin burns and eye damage. May cause respiratory irritation. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.

Version 3.1	Revision Date 10/01/2023	Print Date 04/26/2024	
Consistent and all the			
Carcinogenicity:			
IARC	No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC.		
ACGIH	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by ACGIH.		
OSHA	No component of this product presen		
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
Acute toxicity			
Product:			
Acute oral toxicity	: Acute toxicity estimate : 2,293 mg Method: Calculation method	/kg	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	ng/kg	
Components:			
sodium carbonate: Acute oral toxicity	: LD50 Oral Rat: 4,090 mg/kg		
Acute inhalation toxicity	: LC50 Rat: 5,750 mg/l Exposure time: 2 h		
Sodium metasilicate (disod	lium salt):		
Acute oral toxicity	: LD50 Rat: 1,153 mg/kg		
Skin corrosion/irritation			
Product:			
Remarks: Extremely corrosiv	e and destructive to tissue.		
Serious eye damage/eye irritati	ion		
Product:			
Remarks: May cause irrevers	ible eye damage.		
Respiratory or skin sensitisation	n		
No data available			
Germ cell mutagenicity			
No data available			
Carcinogenicity			
No data available			
Reproductive toxicity			

Version 3.1

Revision Date 10/01/2023

Print Date 04/26/2024

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity		
No data available		
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- : octanol/water	Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
e e e e e e e e e e e e e e e e e e e	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances	
	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).	
Additional ecological : information	Not applicable	

Version 3.1

Revision Date 10/01/2023

Print Date 04/26/2024

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

Version 3.1

Revision Date 10/01/2023

Print Date 04/26/2024

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
pentasodium triphosphate	7758-29-4	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	
$\mathbf{\wedge}$	WARNING: This product can expose you to chemicals including 1,4-dioxane, methyloxirane, which is/are known to the State of California to cause cancer. For more information

The components of this product are reported in the following inventories:

DSLThis product contains one or more components that are listed on the
Canadian NDSL. All other components are on the Canadian DSL.TSCAOn TSCA Inventory

go to www.P65Warnings.ca.gov.

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 3.1

Revision Date 10/01/2023

Print Date 04/26/2024

Further information

NFPA:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage: Store in a well-ventilated place. Keep container tightly closed. **Disposal:** Dispose of contents/container in accordance with local regulation.



11 / 12

Version 3.1

Revision Date 10/01/2023

Print Date 04/26/2024

Version:	3.1
Revision Date:	10/01/2023
Print Date:	04/26/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.