Version 2.3 Revision Date 10/01/2023 Print Date 04/24/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	TIMEMIST SPRING FLOWERS 30 DAY 12N7.1_12CT
Material number	:	0000000001042712
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

GHS Classification

Flammable aerosols	: Category 1	
Gases under pressure	: Liquefied gas	
Eye irritation	: Category 2A	
Skin sensitisation	: Category 1	
Specific target organ toxicity - single exposure	: Category 3 (Central nervous system))

GHS label elements

GH3 label elements	
Hazard pictograms	: Flame Gas cylinder Exclamation mark
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Version 2.3	Revision Date 10/01/2023	Print Date 04/24/2024
Precautionary statements	 Prevention: P210 Keep away from heat/spark No smoking. P211 Do not spray on an open fl P251 Pressurized container: Do use. P261 Avoid breathing dust/ fume P264 Wash skin thoroughly after P271 Use only outdoors or in a w P272 Contaminated work clothin the workplace. P280 Wear protective gloves/ ey Response: P302 + P352 IF ON SKIN: Wash P304 + P340 + P312 IF INHALEI and keep comfortable for breathin CENTER/doctor if you feel unwel P305 + P351 + P338 IF IN EYES for several minutes. Remove cor easy to do. Continue rinsing. P333 + P313 If skin irritation or ra advice/ attention. P363 Wash contaminated clothin Storage: P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ ~ P403 + P235 Store in a well-vent Disposal: P501 Dispose of contents/contai regulation. 	ame or other ignition source. not pierce or burn, even after / gas/ mist/ vapours/ spray. handling. well-ventilated area. g should not be allowed out of re protection/ face protection. with plenty of soap and water. D: Remove person to fresh air ng. Call a POISON II. S: Rinse cautiously with water ntact lenses, if present and ash occurs: Get medical sists: Get medical advice/ ng before reuse. ht. Do not expose to 122 °F. ilated place. Keep cool.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30
Distillates (petroleum), hydrotreated light	64742-47-8	>= 1 - < 3
benzyl acetate	140-11-4	>= 1 - < 3
eugenol	97-53-0	>= 0.1 - < 1
isoeugenol	97-54-1	>= 0.1 - < 1
benzyl salicylate	118-58-1	>= 0.1 - < 1
2-benzylideneheptanal	122-40-7	>= 0.1 - < 1
geraniol	106-24-1	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

Version 2.3

Revision Date 10/01/2023 Print Date 04/24/2024

SECTION 4. FIRST AID MEASURES	
General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	 Wash off immediately with soap and plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time). Chronic effects are delayed and symptoms may not be observed during an exposure. Causes serious eye irritation. May cause drowsiness or dizziness. May cause an allergic skin reaction. Review section 2 of SDS to see all potential hazards. Suspected of causing cancer.
Notes to physician	: Treat symptomatically. Symptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet

Version 2.3	Revision Date 10/01/2023	Print Date 04/24/2024
Specific hazards during firefighting	: Do not allow run-off from fire fighting courses.	g to enter drains or water
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that are circumstances and the surrounding	
Further information	: Use a water spray to cool fully close Fire residues and contaminated fire be disposed of in accordance with le Collect contaminated fire extinguish must not be discharged into drains. Standard procedure for chemical fire	extinguishing water must ocal regulations. ing water separately. This
Special protective equipment for firefighters	: Wear self-contained breathing appa necessary.	ratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	 Sweep up or vacuum up spillage and collect in suitable container for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
	usea.

Version 2.3	Revision Date 10/01/2023	Print Date 04/24/2024
Conditions for safe storage	 BEWARE: Aerosol is pressurized. exposure and temperatures over 5 or throw into fire even after use. Do red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilat Electrical installations / working ma the technological safety standards. 	0 °C. Do not open by force o not spray on flames or ted place. aterials must comply with
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
benzyl acetate	140-11-4	TWA	10 ppm	ACGIH

Version 2.3

Revision Date 10/01/2023

Print Date 04/24/2024

PFI	10 ppm	CAL PEL
		ONETEE
	61 mg/m3	

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI
Engineering measures	s : ef	fective ventilation	on in all proc	essing area	IS	
Personal protective ec	quipment					
Respiratory protection		o personal resp quired.	piratory protec	ctive equipn	nent normally	
Hand protection Remarks	go of cl	The use of skin protection is not normally required; however, good industrial hygiene practice suggests the use of gloves or other appropriate skin protection whenever working with chemicals, and especially if prolonged or frequent contact is possible or likely.				
Eye protection		lways wear eye /e contact with			tential for inadve xcluded.	ertent
Skin and body protectio	n :N	o special prote	ction is requir	ed.		
Hygiene measures	W	/hen using do r /hen using do r /ash hands bef	ot smoke.		d of workday.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: A	erosol containing a liquefied gas
Colour	: CO	olourless
Odour	: cl	haracteristic
Odour Threshold	: N	lo data available
рН	: N	lot applicable
Melting point/freezing point	: N	lo data available
Boiling point	: N	lo data available
Flash point	: <	-6.6 °C

Version 2.3

Revision Date 10/01/2023

Print Date 04/24/2024

Evaporation rate	: No data available
Flammability (solid, gas, liquid)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: partly soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Heat of combustion	: 36.58 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Version 2.3

Revision Date 10/01/2023

Print Date 04/24/2024

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time). Chronic effects are delayed and symptoms may not be observed during an exposure. Causes serious eye irritation. May cause drowsiness or dizziness. May cause an allergic skin reaction. Review section 2 of SDS to see all potential hazards. Suspected of causing cancer. Treat symptomatically. Symptoms may be delayed.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h
	LC50 Rat: 50.1 mg/l
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg
	LD50 Rabbit: > 7,426 mg/kg

Version 2.3

Revision Date 10/01/2023

Print Date 04/24/2024

Distillates (petroleum), hydro Acute oral toxicity	otreated light: : LD50 Rat: > 5,000 mg/kg
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg
benzyl salicylate: Acute oral toxicity	: LD50 Oral Rat: 2,227 mg/kg
2-benzylideneheptanal: Acute oral toxicity	: LD50 Oral Rat: 3,730 mg/kg
Acute dermal toxicity	: LD50 Dermal Rabbit: > 2,000 mg/kg

Skin corrosion/irritation

Product:

Remarks: May irritate skin.

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Components:

eugenol: Classification: May cause sensitisation by skin contact.

benzyl salicylate:

Classification: May cause sensitisation by skin contact.

2-benzylideneheptanal:

Classification: May cause sensitisation by skin contact.

geraniol:

Classification: May cause sensitisation by skin contact.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Version 2.3

Revision Date 10/01/2023

Print Date 04/24/2024

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Not applicable

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data available
benzyl acetate : Partition coefficient: n- octanol/water	: log Pow: 1.96 (25 °C)
eugenol : Partition coefficient: n- octanol/water	: log Pow: 2.7
isoeugenol : Partition coefficient: n- octanol/water	: log Pow: 2.1
benzyl salicylate : Partition coefficient: n- octanol/water	: log Pow: 4 (35 °C)
2-benzylideneheptanal : Partition coefficient: n- octanol/water	: log Pow: 4.7
geraniol : Partition coefficient: n- octanol/water	: log Pow: 2.5 (25 °C)

Version 2.3	Revision Date 10/01/2023	Print Date 04/24/2024
Mobility in soil		
No data available		
Other adverse effects		
No data available		
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Se Substances	
Remarks	This product neither contains, i with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.
Additional ecological information	: Not applicable	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Version 2.3

Revision Date 10/01/2023

Print Date 04/24/2024

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
hydroquinone	123-31-9	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Respiratory or skin sensitisation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		
		This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

Version 2.3

Revision Date 10/01/2023

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information

NFPA:

HEALTH	3
FLAMMABILITY	4
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	3*
FLAMMABILITY	4
PHYSICAL HAZARD	1

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Version 2.3	Revision Date 10/01/2023	Print Date 04/24/2024
Hazard pictograms	: Flame Gas cy linder Exclamation mark	
Signal w ord Hazard statements	 Danger: Extremely flammable aerosol. Contains gas under press May cause an allergic skin reaction. Causes serious eye drow siness or dizziness. 	
Precautionary statements	Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/ vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves/ eye protection/face protection. Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse. Storage : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Keep cool. Disposal: Dispose of contents/container in accordance with local regulation.	

Version:	2.3
Revision Date:	10/01/2023
Print Date:	04/24/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.