Version 6.1 Revision Date 10/01/2023 Print Date 04/23/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	TIMEMIST DUTCH APPLE & SPICE 30 DAY 12N7.1_12CT
Material number	:	0000000001042818
Manufacturer or supplier's o	leta	nils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	light yellow
Odour	characteristic

GHS Classification

Flammable aerosols	: Category 1	
Gases under pressure	: Liquefied gas	
Eye irritation	: Category 2A	
Skin sensitisation	: Category 1	
Specific target organ toxicity - single exposure	: Category 3 (Central nervous system))

GHS label elements

Ono laber elemento	
Hazard pictograms	Flame Gas cy linder Exclamation mark
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Version 6.1	Revision Date 10/01/2023	Print Date 04/23/2024
Precautionary statements :	Prevention: P210 Keep away from heat, hot surface and other ignition sources. No smoking P211 Do not spray on an open flame o P251 Pressurized container: Do not pie use. P261 Avoid breathing dust/ fume/ gas/ P264 Wash skin thoroughly after handlid P271 Use only outdoors or in a well-ver P272 Contaminated work clothing shout the workplace. P280 Wear protective gloves/ eye prote Response: P302 + P352 IF ON SKIN: Wash with p P304 + P340 + P312 IF INHALED: Rer and keep comfortable for breathing. Ca CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rins for several minutes. Remove contact le easy to do. Continue rinsing. P333 + P313 If skin irritation or rash oc advice/ attention. P362 + P364 Take off contaminated clar reuse. Storage: P410 + P412 Protect from sunlight. Do temperatures exceeding 50 °C/ 122 °F. P403 + P235 Store in a well-ventilated Disposal: P501 Dispose of contents/container in a regulation.	 r other ignition source. erce or burn, even after mist/ vapours/ spray. ing. ntilated area. uld not be allowed out of action/ face protection. blenty of soap and water. nove person to fresh air ull a POISON e cautiously with water enses, if present and curs: Get medical Get medical advice/ othing and wash it before not expose to place. Keep cool.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

_

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 50 - < 70
propane	74-98-6	>= 20 - < 30
2-methylpentane-2,4-diol	107-41-5	>= 1 - < 3
2-benzylideneheptanal	122-40-7	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.

Version 6.1	Revision Date 10/01/2023	Print Date 04/23/2024
	Show this safety data sheet to t Do not leave the victim unattend Get medical attention.	
If inhaled	: Consult a physician after signific If unconscious, place in recover advice.	
In case of skin contact	: Wash off immediately with soap Remove contaminated clothing Wash contaminated clothing be If skin irritation persists, call a p	and shoes. fore reuse.
In case of eye contact	 Rinse immediately with plenty of for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing 	
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic be Never give anything by mouth t If symptoms persist, call a phys DO NOT induce vomiting unless physician or poison control cent	o an unconscious person. ician. s directed to do so by a
Most important symptoms and effects, both acute and delayed	: Effects are dependent on exposi- contact time). Effects are immediate and delay Symptoms may include irritation Symptoms may include central resulting in headache, nausea a May cause an allergic skin reac Causes serious eye irritation. Review section 2 of SDS to see May cause drowsiness or dizzin	yed. n, redness, pain, and rash. nervous system depression, and/or dizziness. tion. e all potential hazards.
Notes to physician	: Treat symptomatically. Sympto	oms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing	: Use extinguishing measures that are appropriate to local

Version 6.1	Revision Date 10/01/2023	Print Date 04/23/2024
methods	circumstances and the surroundir	ng environment.
Further information	: Collect contaminated fire extingu must not be discharged into drain Fire residues and contaminated be disposed of in accordance wit Standard procedure for chemical	ns. fire extinguishing water must h local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing ap necessary.	oparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with

Revision Date 10/01/2023	Print Date 04/23/2024
the technological safety standards.	
: Oxidizing agents	
: <49 °C	
	the technological safety standards. : Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
2-methylpentane-2,4-diol	107-41-5	С	25 ppm	ACGIH
		С	25 ppm 125 mg/m3	NIOSH REL
		С	25 ppm 125 mg/m3	OSHA P0
		С	25 ppm 125 mg/m3	CAL PEL

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of	25 mg/l	ACGIH BEI
				shift (As		
				soon as		
				possible		
				after		
				exposure		

ersion 6.1	Revision Date 10/01/2023	Print Date 04/23/2024
	c	eases)
Engineering measures	: effective ventilation in all process	ing areas
Personal protective equipn	nent	
Respiratory protection	: No personal respiratory protective required.	e equipment normally
Hand protection Remarks	: Skin should be washed after cont	tact.
Eye protection	: Always wear eye protection wher eye contact with the product can	•
Skin and body protection	: No special protection is required.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and a	at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: light yellow
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	:
	Not applicable
Evaporation rate	: No data available
Flammability (solid, gas, liquid)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: slightly soluble
Solubility in other solvents	: not determined

Version 6.1	Revision Date 10/01/2023	Print Date 04/23/2024
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 37.00 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. May cause an allergic skin reaction. Causes serious eye irritation. Review section 2 of SDS to see all potential hazards. May cause drowsiness or dizziness. Treat symptomatically. Symptoms may be delayed.

/ersion 6.1	Revision Date 10/01/2023	Print Date 04/23/2024
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as probat	
ACGIH	human carcinogen by IARC. No component of this product prese equal to 0.1% is identified as a carc carcinogen by ACGIH.	
OSHA	No component of this product prese	0
NTP	equal to 0.1% is on OSHA's list of re No component of this product prese equal to 0.1% is identified as a know by NTP.	nt at levels greater than or
cute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 Method: Calculation method	mg/kg
Components:		
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
2-methylpentane-2,4-diol : Acute oral toxicity	: LD50 Oral Rat: 3,700 mg/kg	
2-benzylideneheptanal: Acute oral toxicity	: LD50 Oral Rat: 3,730 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: > 2,000 mg	ŋ/kg
in corrosion/irritation		
Product:		
Remarks: May irritate skin.		
erious eye damage/eye irritati	on	
Product:		
Remarks: Severe eye irritatio	n	

Version 6.1

Revision Date 10/01/2023

Print Date 04/23/2024

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Components:

2-benzylideneheptanal:

Classification: May cause sensitisation by skin contact.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Not applicable

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
<u>Components:</u>	
2-methylpentane-2,4-diol:	
Partition coefficient: n-	: Pow: 0.58

Version 6.1	Revision Date 10/01/2023	Print Date 04/23/2024
octanol/water 2-benzylideneheptanal : Partition coefficient: n- octanol/water	: log Pow: 4.7	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: Not applicable	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Version 6.1

Revision Date 10/01/2023

Print Date 04/23/2024

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
hydroquinone	123-31-9	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Respiratory or skin sensitisation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		
		This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

Version 6.1

Revision Date 10/01/2023

Print Date 04/23/2024

The components of this product are reported in the following inventories:

DSL This product contains one or several components that are not on the Canadian DSL nor NDSL. **TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information

NFPA:

HEALTH	2
FLAMMABILITY	4
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	1

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Version 6.1

OSHA - GHS Label Information:

Revision Date 10/01/2023

Print Date 04/23/2024

Hazard pictograms	Flame Gas cylinder Exclamation
Signal w ord	mark : Danger:
Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drow siness or dizziness.
Precautionary statements	
	Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking. Do not spray on an open flame or other ignition source.
	Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only
	outdoors or in a w ell-ventilated area. Contaminated w ork clothing should not be allow ed
	out of the workplace. Wear protective gloves/eye protection/face protection.
	Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove
	person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash
	occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/
	attention. Take off contaminated clothing and wash it before reuse.
	Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Keep cool.
	Disposal: Dispose of contents/container in accordance with local regulation.

Version:	6.1
Revision Date:	10/01/2023
Print Date:	04/23/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

13 / 13