|--|

Revision Date 10/01/2023

Print Date 04/24/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP TRITON 20GL
Material number	:	0000000000121550
Manufacturer or supplier's d	eta	ils
Company	:	Zep, Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	green, dark
Odour	odourless

GHS Classification

Flammable liquids Acute toxicity (Oral) Acute toxicity (Dermal) Skin corrosion Serious eye damage Specific target organ toxicity - repeated exposure (Inhalation)	 Category 3 Category 4 Category 4 Category 1 Category 1 Category 2
GHS label elements	
Hazard pictograms	: Flame Health hazard Corrosion Exclamation mark
Signal word	: Danger
Hazard statements	 H226 Flammable liquid and vapour. H302 + H312 Harmful if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage.

Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
	H373 May cause damage to org repeated exposure if inhaled.	ans through prolonged or
Precautionary statements	 Prevention: P210 Keep away from heat, hot and other ignition sources. No s P233 Keep container tightly clos P240 Ground/bond container an P241 Use explosion-proof electrequipment. P242 Use only non-sparking too P243 Take precautionary measu P260 Do not breathe dust/fume. P264 Wash skin thoroughly afte P270 Do not eat, drink or smoke P280 Wear protective gloves/ pr protection/ face protection. Response: P301 + P312 + P330 IF SWALL CENTER/doctor if you feel unwer P301 + P330 + P331 IF SWALL induce vomiting. P303 + P361 + P353 IF ON SKI immediately all contaminated clow water/shower. P304 + P340 + P310 IF INHALE and keep comfortable for breath POISON CENTER/doctor. P305 + P351 + P338 + P310 IF water for several minutes. Remo and easy to do. Continue rinsing CENTER/doctor. P314 Get medical advice/ attent P363 Wash contaminated clothi P370 + P378 In case of fire: Use alcohol-resistant foam to extingu Storage: P403 + P235 Store in a well-ven Disposal: P501 Dispose of contents/contar regulation. 	 moking. sed. ad receiving equipment. rical/ ventilating/ lighting ols. ures against static discharge. / gas/mist/vapours/ spray. r handling. e when using this product. rotective clothing/ eye OWED: Call a POISON ell. Rinse mouth. OWED: Rinse mouth. Do NOT IN (or hair): Take off othing. Rinse skin with ED: Remove person to fresh air ing. Immediately call a IN EYES: Rinse cautiously with ove contact lenses, if present g. Immediately call a POISON tion if you feel unwell. ng before reuse. e dry sand, dry chemical or uish.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Quaternary ammonium compounds, benzyl-C12- 16-alkyldimethyl, chlorides	68424-85-1	>= 5 - < 10
1-Decanaminium, N,N-dimethyl-N-octyl-, chloride	32426-11-2	>= 5 - < 10
Undecan-1-ol, ethoxylated	34398-01-1	>= 5 - < 10

Version 3.1

Revision Date 10/01/2023

Print Date 04/24/2024

didecyldimethylammonium chloride	7173-51-5	>= 3 - < 5		
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 3 - < 5		
1-Octanaminium, N,N-dimethyl-N-octyl-, chloride	5538-94-3	>= 1 - < 3		
Sodium metasilicate (disodium salt)	6834-92-0	>= 1 - < 3		
The event percentages of disclosed substances are withhold as trade secrets				

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention immediately.
If inhaled	 If unconscious, place in recovery position and seek medical advice. Consult a physician after significant exposure. Move to fresh air.
In case of skin contact	 Wash off immediately with plenty of water for at least 15 minutes. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash contaminated clothing before re-use. Remove contaminated clothing and shoes. If skin irritation persists, call a physician.
In case of eye contact	 Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	 Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Symptoms of poisoning may not appear for several hours. Keep under medical supervision for at least 48 hours. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.
	Causes severe skin burns and eye damage. Harmful if swallowed or in contact with skin. Review section 2 of SDS to see all potential hazards.

Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Version 3.1

Revision Date 10/01/2023

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Avoid exposure - obtain special instructions before use. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions.
Materials to avoid	: Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	effective ventilation in all processing areas	
Personal protective equipme	nt		
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.	
Hand protection Material Remarks	:	Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye protection	:	Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. Tightly fitting safety goggles	
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.	
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	

Version 3.1

Revision Date 10/01/2023

Print Date 04/24/2024

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	: liquid		
Colour	: green, dark		
Odour	: odourless		
Odour Threshold	: No data available		
рН	: 12.5 - 13.5		
Melting point/freezing point	: No data available		
Boiling point	: not determined		
Flash point	: 51.66 °C Method: closed cup		
Evaporation rate	: 1		
Upper explosion limit	: not determined		
Lower explosion limit	: not determined		
Vapour pressure	: not determined		
Relative vapour density	: No data available		
Density	: 1.01 g/cm3		
Solubility(ies)			
Water solubility	: soluble		
Partition coefficient: n- octanol/water	: No data available		
Auto-ignition temperature	: not determined		
Thermal decomposition	: No data available		
Viscosity			
Viscosity, kinematic	: No data available		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	Stable	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	Vapours may form explosive mixture wi	ith air.
Conditions to avoid	Heat, flames and sparks.	

Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: Carbon oxides Nitrogen oxides (NOx)	

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medic Condition	cal :	None known.	
Symptoms of Ove	erexposure :	 Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Symptoms of poisoning may not appear for several hours. Keep under medical supervision for at least 48 hours. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions. Causes severe skin burns and eye damage. Harmful if swallowed or in contact with skin. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed. 	
Carcinogenicity:			
IARC	e	lo component of this product present at levels greater than or qual to 0.1% is identified as probable, possible or confirmed uman carcinogen by IARC.	
ACGIH	e	lo component of this product present at levels greater than or qual to 0.1% is identified as a carcinogen or potential arcinogen by ACGIH.	
OSHA	N	lo component of this product present at levels greater than or	
NTP	N e	qual to 0.1% is on OSHA's list of regulated carcinogens. lo component of this product present at levels greater than or qual to 0.1% is identified as a known or anticipated carcinogen y NTP.	
Acute toxicity			
Product:			
Acute oral toxici	ty :	Acute toxicity estimate : 1,050 mg/kg Method: Expert judgement	
Acute inhalation	toxicity :	Acute toxicity estimate : 168.98 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method	

Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
Acute dermal toxicity	: Acute toxicity estimate : 1,100 mg/k Method: Expert judgement	g
Components:		
Quaternary ammonium com Acute oral toxicity	pounds, benzyl-C12-16-alkyldimethyl, : LD50 Rat: 305 mg/kg Method: Third Party Data - Actual o	
Acute inhalation toxicity	: LC50 Rat: 0.054 - 0.51 mg/l Test atmosphere: dust/mist Method: Third Party Data - Actual o	r Inferred
Acute dermal toxicity	: LD50 Rat: 930 mg/kg Method: Third Party Data - Actual o	r Inferred
Sodium metasilicate (disodie Acute oral toxicity	u m salt): : LD50 Rat: 1,153 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosive	and destructive to tissue.	
Serious eye damage/eye irritatio	n	
Product:		
Remarks: May cause irreversit	ble eye damage.	
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
Components:		
tetrasodium ethylenediamin Exposure routes: Inhalation Assessment: May cause da		or repeated exposure.
Amiration toxicity		

Version 3.1

Revision Date 10/01/2023

Print Date 04/24/2024

No data available

SECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity Product: Toxicity to fish :	Remarks: Toxic to aquatic organisms.	
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- : octanol/water	Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances	
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).	
Additional ecological : information	No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or

SAFETY DATA SHEET		
ZEP TRITON 20GL		
Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
	Provincial Environmental control a Waste Representative at the near guidance.	
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch 	n on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1903, Disinfectants, liquid, corrosive n.o.s., (QUATERNARY AMMONIUM COMPOUNDS), 8, III

Transportation Regulation: IMDG (Vessel): UN1903, DISINFECTANT, LIQUID, CORROSIVE, N.O.S., (QUATERNARY AMMONIUM COMPOUNDS), 8, III

Transportation Regulation: IATA (Cargo Air): UN1903, Disinfectant, liquid, corrosive, n.o.s., (QUATERNARY AMMONIUM COMPOUNDS), 8, III

Transportation Regulation: IATA (Passenger Air): UN1903, Disinfectant, liquid, corrosive, n.o.s., (QUATERNARY AMMONIUM COMPOUNDS), 8, III

Transportation Regulation: TDG (Canada): UN1903, DISINFECTANT, LIQUID, CORROSIVE, N.O.S., (QUATERNARY AMMONIUM COMPOUNDS), 8, III

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: DANGER Corrosive - causes irreversible eye damage. Causes skin burns. Harmful if swallowed. Harmful if absorbed through skin. Observe label precautions.

Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
TSCA list	: No substances are subject to a Signif	icant New Use Rule.
	No substances are subject to TSCA 1	
	requirements.	

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Acute toxicity (any route of exposure) Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	
	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

Version 3.1

Revision Date 10/01/2023

Print Date 04/24/2024

SECTION 16. OTHER INFORMATION

Further information

NFPA:

HEALTH	3
FLAMMABILITY	2
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme

HMIS III:



0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms		
	Flame Health hazard Corrosion Exclamation mark	
Signal w ord Hazard statements	 Danger: Flammable liquid and vapour. Harmful if sw allowed or in contact with skin. Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled. 	
Precautionary statements	Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/ gas/mist/ vapours/spray. Wash skin thoroughly after handling. Do not eat, drink or smoke w hen using this product. Wear protective gloves/ protective clothing/ eye protection/face protection.	

Version 3.1

Revision Date 10/01/2023

Print Date 04/24/2024

Response: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unw ell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical advice/attention if you feel unw ell. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foamto extinguish. Storage: Store in a w ell-ventilated place. Keep cool. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	3.1
Revision Date:	10/01/2023
Print Date:	04/24/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.