Version 4.1	Revision Date 10/01/2023	Print Date 05/03/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP MULTI-CLEAN GREEN			
Material number	:	0000000000124986			
Manufacturer or supplier's details					
Company	:	Zep Inc.			
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137			
Telephone	:	Compliance Services - 877-428-9937			

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	green
Odour	odourless, no fragrance added

GHS Classification	
Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off

Version 4.1

Revision Date 10/01/2023

immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Concentration [%]
5131-66-8	>= 3 - < 5
10006-28-7	>= 3 - < 5
68551-12-2	>= 1 - < 3
68439-46-3	>= 1 - < 3
1643-20-5	>= 1 - < 3
1300-72-7	>= 1 - < 3
	5131-66-8 10006-28-7 68551-12-2 68439-46-3 1643-20-5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Get medical attention immediately. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Rinse immediately with plenty of water, also under the eyelids,

Version 4.1	Revision Date 10/01/2023	Print Date 05/03/2024
	for at least 15 minutes. Continue rinsing eyes during transp Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a sp	
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic bevera Never give anything by mouth to an If symptoms persist, call a physiciar DO NOT induce vomiting unless dir physician or poison control center.	i unconscious person. n.
Most important symptoms and effects, both acute and delayed	 Effects are dependent on exposure contact time). Effects are immediate and delayed. Symptoms may include blistering, in Causes severe skin burns and eye Review section 2 of SDS to see all 	ritation, burns, and pain. damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	r
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	 Collect contaminated fire extinguishing water separately. The must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires. 	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Use personal protective equipment.

Version 4.1	Revision Date 10/01/2023	Print Date 05/03/2024
protective equipment and emergency procedures Environmental precautions	: Prevent product from entering dra Prevent further leakage or spillage If the product contaminates rivers respective authorities.	e if safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, saw Keep in suitable, closed container	dust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Do not store near acids. Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	effective ventilation in all processing areas	
Personal protective equipm		
Respiratory protection	Use respiratory protection unless adequate local exha- ventilation is provided or exposure assessment demo that exposures are within recommended exposure gu	nstrates
Hand protection Material Remarks	Protective gloves The suitability for a specific workplace should be disc with the producers of the protective gloves.	ussed
Eye protection	Access to clean water to rinse eyes must be available include: eye wash stations or showers, or eye wash b	

Version 4.1	Revision Date 10/01/2023	Print Date 05/03/2024
	with pure water. Tightly fitting safety goggles Wear face-shield and protective su problems.	it for abnormal processing
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous sub	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	green
Odour	:	odourless, no fragrance added
Odour Threshold	:	No data available
рН	:	11.5 - 12.0
		10.52, pH at in-use dilution
Melting point/freezing point	:	No data available
Boiling point	:	104.4 °C
Flash point	:	93.3 °C
Evaporation rate	:	1
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.027 g/cm3
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	soluble in cold water
Solubility in other solvents	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity		

Version 4.1	Revision Date 10/01/2023	Print Date 05/03/2024
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: 5.7 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions. No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Causes severe skin burns and eye damage. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

Version 4.1	Revision Date 10/01/2023	Print Date 05/03/2024
	by NTP.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Components:		
Dipotassium metasilicate: Acute oral toxicity	: LD50 Oral Rat: 273 mg/kg	
Alcohols, C9-11, ethoxylated Acute oral toxicity	: : LD50 Oral Rat: 1,400 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosive	and destructive to tissue.	
Serious eye damage/eye irritation	ı	
Product:		
Remarks: May cause irreversib	e eye damage.	
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data available		

Version 4.1

Revision Date 10/01/2023

Print Date 05/03/2024

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water <u>Components:</u> 1-butoxypropan-2-ol:	: Remarks: No data available
Partition coefficient: n- octanol/water	: Pow: 1.2
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Version 4.1

Revision Date 10/01/2023

Print Date 05/03/2024

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ethylbenzene	100-41-4	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

Version 4.1	Revision Date 10/01/2023	Print Date 05/03/2024
SARA 302	: No chemicals in this material are subj requirements of SARA Title III, Sectio	
SARA 313	: This material does not contain any ch known CAS numbers that exceed the reporting levels established by SARA	threshold (De Minimis)
California Prop. 65		
	WARNING: This product can exposincluding ethylbenzene, which is/ar California to cause cancer. For mor www.P65Warnings.ca.gov.	e known to the State of
The components of t	his product are reported in the following inve	

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 4.1

Revision Date 10/01/2023

Print Date 05/03/2024

Further information

NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Version 4.1

Revision Date 10/01/2023

Version:	4.1
Revision Date:	10/01/2023
Print Date:	05/03/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.