V	ersion	1.2	

Revision Date 10/01/2023

Print Date 04/25/2024

Do NOT

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP DRAIN AID
Material number	:	00000000000167801
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers				
For SDS Information	:	Compliance Services - 877-428-9937		
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded		
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616		

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	dark red
Odour	odourless

GHS Classification	
Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. I induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off

Version 1.2

Revision Date 10/01/2023

immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]		
sodium hydroxide	1310-73-2	>= 30 - < 60		
The exect percentages of disclosed substances are withheld as trade secrets				

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	Consult a Show this	of dangerous area. a physician. s safety data sheet to the doctor in attendance. ave the victim unattended.
lf inhaled	advice.	cious, place in recovery position and seek medical ms persist, call a physician.
In case of skin contact	wounds f difficulty. Wash off minutes. Remove Wash co	e medical treatment is necessary as untreated rom corrosion of the skin heal slowly and with immediately with plenty of water for at least 15 contaminated clothing and shoes. ntaminated clothing before reuse. tation persists, call a physician.
In case of eye contact	tissue da Rinse imi for at leas Remove Protect u Keep eye	ounts splashed into eyes can cause irreversible mage and blindness. mediately with plenty of water, also under the eyelids, st 15 minutes. contact lenses. nharmed eye. e wide open while rinsing. ation persists, consult a specialist.

Version 1.2	Revision Date 10/01/2023	Print Date 04/25/2024
If swallowed	 Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic bever Never give anything by mouth to a If symptoms persist, call a physicia Take victim immediately to hospita 	n unconscious person. an.
Most important symptoms and effects, both acute and delayed	 Effects are dependent on exposure contact time). Effects are immediate and delayed Symptoms may include irritation, re Causes severe skin burns and eye Review section 2 of SDS to see al 	l. edness, pain, and rash. e damage.
Notes to physician	: Treat symptomatically. Symptoms	a may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: No hazardous combustion products are known
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment.	
Environmental precautions	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, info respective authorities. Prevent product from entering drains.	rm
Methods and materials for containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	,

Version 1.2

Revision Date 10/01/2023

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. This product is formulated for use on hard metal surfaces. This product does contain a reducing agent(s) that may corrode soft metals. This product should be stored in its original packaging or containers of similar construction, and not in metal vessels.
Materials to avoid	 Oxidizing agents Store and keep away from bases and alkalies. Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	CAL PEL

Components with workplace control parameters

Engineering measures

: effective ventilation in all processing areas

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Version 1.2	Revision Date 10/01/2023	Print Date 04/25/2024
Hand protection		
Material	: Protective gloves	
Remarks	: The suitability for a specific workpla with the producers of the protective	
Eye protection	: Tightly fitting safety goggles Wear face-shield and protective su problems. Ensure that eyewash stations and the workstation location.	
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous sul	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	dark red
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	13 - 14
Melting point/freezing point	:	No data available
Boiling point	:	135 °C
Flash point	:	
		Not applicable
Evaporation rate	:	1
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.458 g/cm3
Solubility(ies)		
Water solubility	:	soluble in cold water, soluble in hot water
Solubility in other solvents	:	soluble
Dertition coefficients a		Ne dete evellete
Partition coefficient: n- octanol/water	•	No data available
Auto-ignition temperature	:	not determined

Version 1.2	Revision Date 10/01/2023	Print Date 04/25/2024
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: 6.7 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Oxidizing agents Reducing agents Acids This product contains sodium hydroxide or potassium hydroxide that may corrode some soft metals and may react with tin, zinc, aluminum to form hydrogen gas.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Causes severe skin burns and eye damage. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

ZEP DRAIN AID		
Version 1.2	Revision Date 10/01/2023	Print Date 04/25/2024
	carcinogen by ACGIH.	
OSHA	No component of this product present at levels greater than equal to 0.1% is on OSHA's list of regulated carcinogens.	
ΝΤΡ	No component of this product present equal to 0.1% is identified as a known by NTP.	at levels greater than or
Acute toxicity		
Components:		
sodium hydroxide: Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,38	50 mg/kg
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosive	e and destructive to tissue.	
Serious eye damage/eye irritati	on	
Product:		
Remarks: May cause irrevers	ible eye damage.	
Respiratory or skin sensitisation	1	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data availabl	e	

Version 1.2

Revision Date 10/01/2023

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> sodium hydroxide :	
Toxicity to fish	: LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l Exposure time: 96 h Test Method: static test
	LC50 (Oncorhynchus tshawytscha (chinook salmon)): 152 mg/l Exposure time: 96 h
	LC50 (Oncorhynchus mykiss (rainbow trout)): 40 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 34 - 47 mg/l Exposure time: 48 h
	EC50 (Crangon crangon (shrimp)): 33 - 100 mg/l Exposure time: 48 h
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life.
<u>Components:</u> sodium hydroxide :	

Version 1.2	Revision Date 10/01/2023	Print Date 04/25/2024
Additional ecological information	: Harmful to aquatic life.	
SECTION 13. DISPOSAL CONS	IDERATIONS	
Disposal methods		

Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II - Limited quantity

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Version 1.2

Print Date 04/25/2024

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	2857

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		
		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 1.2

Revision Date 10/01/2023

Print Date 04/25/2024

Further information

NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Version 1.2

Revision Date 10/01/2023

Print Date 04/25/2024

Version:	1.2
Revision Date:	10/01/2023
Print Date:	04/25/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.