Version 1.4

Revision Date 10/01/2023

Print Date 04/17/2024

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	BLUE CORAL AQUA CLEAR 20 GAL
Material number	:	0000000000277850
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

## SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	liquid
Colour	clear
Odour	pungent

## **GHS** Classification

ono classification	
Oxidizing liquids Acute toxicity (Oral) Skin corrosion Serious eye damage	<ul> <li>Category 1</li> <li>Category 4</li> <li>Category 1</li> <li>Category 1</li> </ul>
GHS label elements	
Hazard pictograms	: Flame over circle
Signal word	: Danger
Hazard statements	<ul> <li>H271 May cause fire or explosion; strong oxidizer.</li> <li>H302 Harmful if swallowed.</li> <li>H314 Causes severe skin burns and eye damage.</li> </ul>
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> </ul>

Version 1.4	Revision Date 10/01/2023	Print Date 04/17/2024
Version 1.4	Revision Date 10/01/2023P220 Keep away from clothing a materials.P221 Take any precaution to aw P264 Wash skin thoroughly afte P270 Do not eat, drink or smoke P280 Wear protective gloves/ pu protection/ face protection.P283 Wear fire resistant or flame <b>Response:</b> P301 + P312 + P330 IF SWALL CENTER/doctor if you feel unwer P301 + P330 + P331 IF SWALL induce vomiting.P303 + P361 + P353 IF ON SKI immediately all contaminated clowater/shower.P304 + P340 + P310 IF INHALE and keep comfortable for breath POISON CENTER/doctor.P305 + P351 + P338 + P310 IF water for several minutes. Remo and easy to do. Continue rinsing CENTER/doctor.P306 + P360 IF ON CLOTHING: contaminated clothing and skin removing clothes.P363 Wash contaminated clothi P370 + P378 In case of fire: Use alcohol-resistant foam to extingu P371 + P380 + P375 In case of Evacuate area. Fight fire remote Storage: P420 Store separately.	and other combustible oid mixing with combustibles. r handling. e when using this product. rotective clothing/ eye e retardant clothing. OWED: Call a POISON ell. Rinse mouth. OWED: Rinse mouth. Do NOT IN (or hair): Take off othing. Rinse skin with ED: Remove person to fresh air ing. Immediately call a IN EYES: Rinse cautiously with ove contact lenses, if present g. Immediately call a POISON : rinse immediately with plenty of water before ng before reuse. e dry sand, dry chemical or uish. major fire and large quantities:
	<b>Disposal:</b> P501 Dispose of contents/conta regulation.	iner in accordance with local

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
hydrogen peroxide	7722-84-1	>= 30 - < 50

The exact percentages of disclosed substances are withheld as trade secrets.

## **SECTION 4. FIRST AID MEASURES**

: Move out of dangerous area. Get medical attention immediately.

Version 1.4	Revision Date 10/01/2023	Print Date 04/17/2024
	Show this safety data sheet to the Do not leave the victim unattende	
If inhaled	: If unconscious, place in recovery advice. If symptoms persist, call a physic	
In case of skin contact	<ul> <li>Immediate medical treatment is n wounds from corrosion of the skin difficulty.</li> <li>Wash off immediately with plenty minutes.</li> <li>Remove contaminated clothing a Wash contaminated clothing befo If skin irritation persists, call a phy</li> </ul>	n heal slowly and with of water for at least 15 nd shoes. are reuse.
In case of eye contact	: Small amounts splashed into eye tissue damage and blindness. Rinse immediately with plenty of for at least 15 minutes. Continue rinsing eyes during tran Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing If eye irritation persists, consult a	water, also under the eyelids, isport to hospital. g.
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unless physician or poison control cente Do not give milk or alcoholic beve Never give anything by mouth to If symptoms persist, call a physic Take victim immediately to hospit	r. erages. an unconscious person. ian.
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are immediate and delayer Symptoms may include blistering Effects are dependent on exposu contact time).</li> <li>Symptoms may include shortness irritation of the nose, eyes, lips, m Causes severe skin burns and ey Review section 2 of SDS to see a Harmful if swallowed.</li> </ul>	, irritation, burns, and pain. ire (dose, concentration, s of breath, dry cough, and nouth, and throat. /e damage.
Notes to physician	: Treat symptomatically. Symptom	is may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet

Version 1.4	Revision Date 10/01/2023	Print Date 04/17/2024
Specific hazards during firefighting	: Do not allow run-off from fire fightir courses.	ng to enter drains or water
Hazardous combustion products Specific extinguishing methods	<ul><li>None</li><li>Use extinguishing measures that a circumstances and the surrounding</li></ul>	
Further information	: Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fire be disposed of in accordance with For safety reasons in case of fire, separately in closed containments. Use a water spray to cool fully close	e extinguishing water must local regulations. cans should be stored
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	aratus for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Prevent unauthorized access.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> </ul>

\_

Version 1.4	Revision Date 10/01/2023	Print Date 04/17/2024
	Observe label precautions. Electrical installations / working material the technological safety standards.	s must comply with
Materials to avoid	: Store and keep away from, reducing age alkalies.	ents, bases and

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z-1
		TWA	1 ppm 1.4 mg/m3	OSHA P0
		PEL	1 ppm 1.4 mg/m3	CAL PEL

Engineering measures : effective ventilation in all processing areas

## Components with workplace control parameters

Personal protective equipme	nt	
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Version 1.4

Revision Date 10/01/2023

Print Date 04/17/2024

SECTION 9.	. PHYSICAL	AND	CHEMICAL	PROPERTIES
------------	------------	-----	----------	------------

Appearance	: liquid
Colour	: clear
Odour	: pungent
Odour Threshold	: No data available
рН	: 1.7 - 3.2
Melting point/freezing point	: No data available
Boiling point	: >100 °C
Flash point	: >100 °C
Evaporation rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.08 - 1.18
Density	: No data available
Solubility(ies)	
Water solubility	: soluble in cold water, soluble in hot water
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Stable under recommended storage conditions.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Bases
Hazardous decomposition products	: Oxygen

Version 1.4

Revision Date 10/01/2023

### SECTION 11. TOXICOLOGICAL INFORMATION

### **Potential Health Effects**

Aggravated Medical	: None known.
Symptoms of Overexposure	<ul> <li>Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat. Causes severe skin burns and eye damage. Review section 2 of SDS to see all potential hazards. Harmful if swallowed. Treat symptomatically. Symptoms may be delayed.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans hydrogen peroxide 7722-84-1
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Acute toxicity

#### Product:

Acute oral toxicity	:	Acute toxicity estimate : 1,504 mg/kg
		Method: Calculation method

#### Skin corrosion/irritation

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

### Serious eye damage/eye irritation

### Product:

Remarks: May cause irreversible eye damage.

### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

Version 1.4

Print Date 04/17/2024

### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

## **Further information**

## Product:

Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

### Persistence and degradability

No data available Bioaccumulative potential

### Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	

# Other adverse effects

# No data available

Product: Regulation

Remarks

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Version 1.4	Revision Date 10/01/2023	Print Date 04/17/2024
Additional ecological information	: Not applicable	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN2014, Hydrogen peroxide, aqueous solutions, 5.1, (8), II

Transportation Regulation: IMDG (Vessel): UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, (8), II

Transportation Regulation: IATA (Cargo Air): UN2014, Hydrogen peroxide, aqueous solution, 5.1, (8), II

Transportation Regulation: IATA (Passenger Air): UN2014, Hydrogen peroxide, aqueous solution, 5.1, (8), II

Transportation Regulation: TDG (Canada): UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, (8), II

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Version 1.4

Print Date 04/17/2024

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components		CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
hydrogen peroxide		7722-84-1	1000	3007
SARA 311/312 Hazards	A S	xidiser (liquid, solid cute toxicity (any rou kin corrosion or irrita erious eye damage	ute of exposure) ation	
SARA 302		o chemicals in this r equirements of SAR		
SARA 313	kı	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
California Prop. 65				
		This product does n California to cause o reproductive harm.		emicals known to State of ts, or any other

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 1.4

Revision Date 10/01/2023

Print Date 04/17/2024

### **Further information**

#### NFPA:

HEALTH	3
FLAMMABILITY	3
INSTABILITY	2
SPECIAL HAZARD.	ОХ

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 1.4

Revision Date 10/01/2023

Print Date 04/17/2024

Immediately call a POISON CENTER/doctor. IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. **Storage:** Store separately.

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	1.4
Revision Date:	10/01/2023
Print Date:	04/17/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.