Version 3.1 Revision Date 10/01/2023 Print Date 04/1							
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION							
Material name	: ZEP ALL PURPOSE HIGH TEMPE	ERATURE SUPER					
	IMPACT GREASE						

		INIFACT GREASE
Material number	:	0000000000312104
Manufacturer or supplier's	deta	lils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers				
For SDS Information	:	Compliance Services - 877-428-9937		
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded		
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.		
Emergency		In the District of Columbia 202-483-7616		

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	gel
Colour	dark green
Odour	oily

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 30 - < 50
Distillates (petroleum), hydrotreated light	64742-53-6	>= 30 - < 50

Revision Date 10/01/2023	Print Date 04/19/2024		
I			
14808-60-7	>= 0.1 - < 1		
	14808-60-7 disclosed substances are withheld as trade		

SECTION 4. FIRST AID MEASURES

General advice	:	Do not leave the victim unattended. Move out of dangerous area. Get medical attention. Show this safety data sheet to the doctor in attendance.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist. No information available.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Most important symptoms and effects, both acute and delayed	:	Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical Water Foam Carbon dioxide (CO2)	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	ər

Version 3.1	Revision Date 10/01/2023	Print Date 04/19/2024
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures the circumstances and the surround	
Further information	: Standard procedure for chemica Use extinguishing measures that circumstances and the surround	at are appropriate to local
Special protective equipment for firefighters	: Wear self-contained breathing a necessary.	apparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage. Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	:	Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
quartz (SiO2)	14808-60-7	TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3

Version 3.1		Revision Date 10/01/2023	Print D	ate 04/19/2024
		TWA (Respirable	0.05 mg/m3	NIOSH REL
		dust) TWA (Respirable	0.05 mg/m3	OSHA Z-1
		dust) PEL (Respirable dust)	0.05 mg/m3	CAL PEL
Engineering measures	:	effective ventilation in all p	rocessing areas	
Personal protective equipm	nent			
Respiratory protection	:	No personal respiratory pro required.	otective equipment no	rmally
Hand protection Material Remarks	:	Protective gloves The suitability for a specific with the producers of the p		discussed
Eye protection	:	Safety glasses		
Skin and body protection	:	Impervious clothing		
Hygiene measures	:	General industrial hygiene	practice.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	gel
Colour	:	dark green
Odour	:	oily
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	Not applicable
Boiling point	:	Not applicable
Flash point	:	204 °C
		NI 17 111
Evaporation rate	:	No data available
Evaporation rate Upper explosion limit	:	No data available No data available
	-	No data available
Upper explosion limit	:	No data available
Upper explosion limit Lower explosion limit	:	No data available No data available
Upper explosion limit Lower explosion limit Vapour pressure	:	No data available No data available < 0.01 hPa No data available
Upper explosion limit Lower explosion limit Vapour pressure Relative vapour density	::	No data available No data available < 0.01 hPa No data available

Version 3.1	Revision Date 10/01/2023	Print Date 04/19/2024
Water solubility	: negligible	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: >10000 mm2/s (40 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No hazards to be specially mention	ned.
Conditions to avoid	: No data available	
Incompatible materials	: No data available	
Hazardous decomposition products	: Organic Substances Carbon oxides	

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition Symptoms of Overexposure	 None known. Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation. Treat symptomatically. Symptoms may be delayed.
Carcinogenicity:	
IARC	Group 1: Carcinogenic to humans
ACGIH	quartz (SiO2) 14808-60-7 No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential
OSHA	carcinogen by ACGIH. No component of this product present at levels greater than or

Version 3.1	Revision Date 10/01/2023	Print Date 04/19/2024
NTP	equal to 0.1% is on OSHA's list of reg No component of this product present equal to 0.1% is identified as a known by NTP.	at levels greater than or
Acute toxicity		
Components:		
Distillates (petroleum), h Acute oral toxicity	ydrotreated heavy naphthenic: : LD50 Rat: > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 Rat: > 5 mg/l Exposure time: 4 h	
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin		
Serious eye damage/eye irrita	ation	
Product:		
Remarks: Contact with eye	es may cause irritation.	
Respiratory or skin sensitisati	ion	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
Product:		
Carcinogenicity - Assessment	: Not classifiable as a human car	cinogen.
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		

Version 3.1

Revision Date 10/01/2023

Print Date 04/19/2024

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation Remarks	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances This product neither contains, nor was manufactured
	with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of as unused product.

Version 3.1

Revision Date 10/01/2023

Print Date 04/19/2024

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
xylenes	1330-20-7	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

Version 3.1	Revision Date 10/01/2023	Print Date 04/19/2024
SARA 302	: No chemicals in this material are sub requirements of SARA Title III, Section	
SARA 313	: This material does not contain any ch known CAS numbers that exceed the reporting levels established by SARA	threshold (De Minimis)
California Prop. 65		
	WARNING: This product can exposincluding ethylbenzene, which is/ar California to cause cancer. For more www.P65Warnings.ca.gov.	e known to the State of

The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 3.1

Revision Date 10/01/2023

Print Date 04/19/2024

Further information

NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:



0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Not a hazardous substance or mixture.

Version:	3.1
Revision Date:	10/01/2023
Print Date:	04/19/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Version 3.1

Revision Date 10/01/2023

Print Date 04/19/2024