Version 1.5 Revision Date 10/01/2023 Print Date 04/26/2024

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP ACCLAIM AB HAND SOAP 12-500ML
Material number	:	0000000000314916
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

### Emergency telephone numbers

For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

#### Recommended use of the chemical and restrictions on use

This product is labeled as an over-the-counter (non-prescription) drug under the Food and Drug administration (FDA) regulations of the United States. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of FDA products may differ from those required for GHS based hazard communication.

# SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	viscous liquid
Colour	clear, red, orange
Odour	No data available

# **GHS Classification**

Eye irritation	: Category 2A
GHS label elements	
Hazard pictograms	: Exclamation mark
Signal word	: Warning
Hazard statements	: H319 Causes serious eye irritation.

Version 1.5	Revision Date 10/01/2023	Print Date 04/26/2024
Precautionary statements	<ul> <li>Prevention: P264 Wash skin thoroughly after hand P280 Wear eye protection/ face prote Response: P305 + P351 + P338 IF IN EYES: Rin for several minutes. Remove contact easy to do. Continue rinsing. P337 + P313 If eye irritation persists: attention.</li> </ul>	ection. nse cautiously with water lenses, if present and

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# Hazardous components

Chemical name	CAS-No.	Concentration [%]
glycerol	56-81-5	>= 1 - < 3
cetrimonium chloride	112-02-7	>= 1 - < 3
Fatty acids, C8-18 and C18-unsatd., compds. with diisopropanolamine	68855-69-6	>= 1 - < 3
N-[3-(dimethylamino)propyl]dodecanamide N- oxide	61792-31-2	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

# **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	: This product is formulated for use on skin but should always be immediately washed off with plenty of water. Discontinue use if irritation and redness develop. If conditions persist for more than 72 hours, consult a physician.
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> <li>If in eyes, rinse with water for 15 minutes.</li> </ul>
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> <li>If symptoms persist, call a physician.</li> </ul>

Version 1.5	ion 1.5 Revision Date 10/01/2023	
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed Symptoms may include irritation, re Causes serious eye irritation. Review section 2 of SDS to see all	edness, pain, and rash.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

# SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Foam Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Version 1.5

Revision Date 10/01/2023

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Avoid contact with eyes.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> </ul>
Materials to avoid	: No materials to be especially mentioned.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerol	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		PEL (Mist - total fraction)	10 mg/m3	CAL PEL
		PEL (Mist - respirable fraction)	5 mg/m3	CAL PEL
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0

Engineering measures	:	effective	ventilation	in al	II processing areas
	•	011001110	voritiliation		in proceeding area

Personal protective equipme	nt	
Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection Remarks	:	No special protection is required.
Eye protection	:	Eye protection is not required while washing with this product. In the workplace, the use of safety glasses is recommended to

Version 1.5	Revision Date 10/01/2023	Print Date 04/26/2024
	avoid eye exposure during the ha during spill clean-up. Remove respiratory and skin/eye have been cleared from the area.	0
Skin and body protection	: No special protection is required.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and a	it the end of workday.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	clear, red, orange
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	5 - 6
Melting point/freezing point	:	No data available
Boiling point	:	100 °C
Flash point	:	
		does not flash
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Density	:	1.015 g/cm3
Solubility(ies)		
Water solubility	:	completely soluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available

# SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Stable

Version 1.5	Revision Date 10/01/2023	Print Date 04/26/2024
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No decomposition if stored and app	lied as directed.
Conditions to avoid	: No data available	
Incompatible materials	: No data available	
Hazardous decomposition products	: No decomposition if stored normally	'.

# SECTION 11. TOXICOLOGICAL INFORMATION

# **Potential Health Effects**

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Causes serious eye irritation. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : 3,549 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Skin corrosion/irritation	
Product:	
Result: No skin irritation	

Version 1.5

Print Date 04/26/2024

#### Serious eye damage/eye irritation

### Product:

Remarks: Irritating to eyes.

#### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### **Further information**

Product:

Remarks: No data available

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

### Persistence and degradability

#### No data available Bioaccumulative potential

# Product:

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data available
glycerol : Partition coefficient: n-	: log Pow: -1.76

Version 1.5	Revision Date 10/01/2023	Print Date 04/26/2024
octanol/water		
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environmer Stratospheric Ozone - CAA Secti Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: An environmental hazard cannot event of unprofessional handling aquatic life.	

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> </ul>

# SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Version 1.5

Revision Date 10/01/2023

Print Date 04/26/2024

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

# SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Serious eye damage or eye irritation
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

Version 1.5

Revision Date 10/01/2023

Print Date 04/26/2024

TSCA (USA), DSL (Canada), NDSL (Canada)

#### SECTION 16. OTHER INFORMATION

**Further information** 

NFPA:

HEALTH	2
FLAMMABILITY	0
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

#### HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### **OSHA - GHS Label Information:**

Hazard pictograms

Signal w ord Hazard statements Precautionary statements Exclamation mark Warning: Causes serious eye irritation.

**Prevention:** Wash skin thoroughly after handling. Wear eye protection/face protection. **Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Version 1.5

Revision Date 10/01/2023

Print Date 04/26/2024

Version:	1.5
Revision Date:	10/01/2023
Print Date:	04/26/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.