Version 1.5		Revision Date 10/01/2023	Print Date 04/20/2024
SECTION 1. PRODUCT AND	COMP	ANY IDENTIFICATION	
Material name	:	COUNTRY VET METERED A 12N7.1 12CT	IR FRESHENER CITRUS
Material number	:	332508CVCA	

Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137		
Telephone	:	Compliance Services - 877-428-9937		

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation		CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	yellow
Odour	characteristic

GHS Classification

Flammable aerosols	: Category 1	
Gases under pressure	: Liquefied gas	
Eye irritation	: Category 2A	
Specific target organ toxicity - single exposure	: Category 3 (Central nervous system)	

GHS label elements

Hazard pictograms	: Flame Gas cy linder Exclamation mark	
Signal word	: Danger	
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. 	

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
Precautionary statements	 Prevention: P210 Keep away from heat/spark No smoking. P211 Do not spray on an open fll P251 Pressurized container: Do use. P261 Avoid breathing dust/ fume P264 Wash skin thoroughly after P271 Use only outdoors or in a v P280 Wear eye protection/ face Response: P304 + P340 + P312 IF INHALEI and keep comfortable for breathin CENTER/doctor if you feel unwel P305 + P351 + P338 IF IN EYES for several minutes. Remove cor easy to do. Continue rinsing. P337 + P313 If eye irritation pers attention. Storage: P403 + P233 Store in a well-vent tightly closed. P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1 Disposal: P501 Dispose of contents/contai regulation. 	ame or other ignition source. not pierce or burn, even after / gas/ mist/ vapours/ spray. handling. well-ventilated area. protection. D: Remove person to fresh air ng. Call a POISON II. S: Rinse cautiously with water ntact lenses, if present and sists: Get medical advice/ ilated place. Keep container th. Do not expose to 122 °F.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 45 - < 70
propane	74-98-6	>= 10 - < 30
Orange, sweet, ext.	8028-48-6	>= 1 - < 5
Oil of orange	8008-57-9	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
In case of skin contact	: Wash off immediately with soap a Remove contaminated clothing a Wash contaminated clothing befo If skin irritation persists, call a ph	and shoes. pre reuse.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing If eye irritation persists, consult a Rinse immediately with plenty of for at least 15 minutes.	a specialist.
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to If symptoms persist, call a physic DO NOT induce vomiting unless physician or poison control center	cian. directed to do so by a
Most important symptoms and effects, both acute and delayed	 Effects are dependent on exposu contact time). Effects are immediate and delaye Symptoms may include irritation, Symptoms may include central n resulting in headache, nausea ar Causes serious eye irritation. May cause drowsiness or dizzine Review section 2 of SDS to see a 	ed. redness, pain, and rash. ervous system depression, nd/or dizziness.
Notes to physician	: Treat symptomatically. Sympton	ns may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Use a water spray to cool fully closed containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
Special protective equipment for firefighters	: Wear self-contained breathing appar necessary.	ratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

	Components	CAS-No.	Value type	Control	Basis
--	------------	---------	------------	---------	-------

Version 1.5

Revision Date 10/01/2023

Print Date 04/20/2024

	/Form of	noromotoro /	
	`	•	
	exposure)		
		concentration	
67-64-1	TWA	250 ppm	ACGIH
	STEL	500 ppm	ACGIH
	TWA	250 ppm	NIOSH REL
		590 mg/m3	
	TWA	1,000 ppm	OSHA Z-1
	TWA	-	OSHA P0
	STEL		OSHA P0
	STEL		CAL PEL
	С		CAL PEL
	PEL		CAL PEL
		1,200 mg/m3	
74-98-6	TWA		NIOSH REL
	TWA		OSHA Z-1
	TWA		OSHA P0
	PEL	<u> </u>	CAL PEL
8008-57-9	PEL (Total		CAL PEL
	•	Ŭ	
	PEL	5 mg/m3	CAL PEL
	(respirable	Ŭ	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	74-98-6	STEL TWA TWA TWA TWA STEL STEL STEL C PEL 74-98-6 TWA 74-98-6 TWA TWA STEL PEL STEL PEL STEL	exposure) Permissible concentration 67-64-1 TWA 250 ppm STEL 500 ppm TWA 250 ppm 590 mg/m3 590 mg/m3 TWA 2,400 mg/m3 TWA 1,000 ppm 2,400 mg/m3 1,800 mg/m3 TWA 750 ppm 1,800 mg/m3 1,800 mg/m3 STEL 1,000 ppm 2,400 mg/m3 2,400 mg/m3 STEL 1,000 ppm 2,400 mg/m3 2,400 mg/m3 STEL 1,000 ppm 1,780 mg/m3 1,780 mg/m3 C 3,000 ppm 1,200 mg/m3 1,200 mg/m3 TWA 1,000 ppm 1,200 mg/m3 1,800 mg/m3 TWA 1,000 ppm 1,800 mg/m3 1,800 mg/m3 TWA 1,000 ppm 1,800 mg/m3 1,800 mg/m3 TWA 1,000 ppm 1,800 mg/m3 1,800 mg/m3 PEL 1,000 ppm 1,800 mg/m3 1,800 mg/m3

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

Engineering measures

: effective ventilation in all processing areas

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally required.

In the case of vapour formation use a respirator with an approved filter. In the case of dust or aerosol formation use respirator with an approved filter.

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
Hand protection Remarks	: Skin should be washed after conta required.	ct. No special protection is
	The suitability for a specific workpla with the producers of the protective	
Eye protection	: Always wear eye protection when eye contact with the product cannot	
	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective su problems.	it for abnormal processing
Skin and body protection	: No special protection is required.	
	Impervious clothing Choose body protection according concentration of the dangerous su	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Exportion rate		No data available
Evaporation rate	•	
Flammability (solid, gas, liquid)	:	Extremely flammable aerosol.
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 36.44 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	:	None known.
Symptoms of Overexposure	:	Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Causes serious eye irritation. May cause drowsiness or dizziness. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.

SAFETY DATA SHEET

COUNTRY VET METERED AIR FRESHENER CITRUS 12N7.1 12CT Version 1.5 Revision Date 10/01/2023 Print Date 04/20/2024 Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. No component of this product present at levels greater than or **OSHA** equal to 0.1% is on OSHA's list of regulated carcinogens. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. Acute toxicity **Components:** acetone: : LD50 Rat: 5,800 mg/kg Acute oral toxicity Acute inhalation toxicity : LC50 Rat: 132 mg/l Exposure time: 3 h LC50 Rat: 50.1 mg/l Acute dermal toxicity : LD50 Guinea pig: > 7,426 mg/kg LD50 Rabbit: > 7,426 mg/kg Skin corrosion/irritation Product: Remarks: May irritate skin. Remarks: May cause skin irritation and/or dermatitis. Serious eye damage/eye irritation Product: Remarks: Severe eye irritation Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available

No data available

Version 1.5

Revision Date 10/01/2023

Print Date 04/20/2024

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u> Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

Version 1.5

Revision Date 10/01/2023

Print Date 04/20/2024

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Version	15
1011	1.0

Revision Date 10/01/2023

Print Date 04/20/2024

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
hydroquinone	123-31-9	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		
		This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 1.5

Revision Date 10/01/2023

Print Date 04/20/2024

Further information

NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Version 1.5

Revision Date 10/01/2023

Print Date 04/20/2024

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.5
Revision Date:	10/01/2023
Print Date:	04/20/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.