Version 5.1 Revision Date 10/01/2023 Print Date 04/18/2024

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	COUNTRY VET MOSQUITO & FLY SPRAY
Material number	:	342033CVA
Manufacturer or supplier's of	deta	nils
Company	:	Amrep, Inc.
Address	:	990 Industrial Park Drive Marietta, GA 30062
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

## SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear
Odour	characteristic

1 gas 2A 1

#### **GHS Classification**

Flammable aerosols	: Category
Gases under pressure	: Liquefied
Eye irritation	: Category
Skin sensitisation	: Category

### **GHS** label elements

Hazard pictograms	: Flame Gas cy linder Exclamation mark
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> </ul>
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.	
P264 Wash skin thoroughly after	handling.
the workplace.	-
P280 Wear protective gloves/ eye Response:	e protection/ face protection.
P305 + P351 + P338 IF IN EYES for several minutes. Remove com	Rinse cautiously with water
P333 + P313 If skin irritation or ra advice/ attention.	ash occurs: Get medical
P337 + P313 If eye irritation pers attention.	ists: Get medical advice/
	g before reuse.
P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 1	•
	ner in accordance with local
	<ul> <li>P211 Do not spray on an open flat</li> <li>P251 Pressurized container: Do ruse.</li> <li>P261 Avoid breathing dust/fume/</li> <li>P264 Wash skin thoroughly after</li> <li>P272 Contaminated work clothing</li> <li>the workplace.</li> <li>P280 Wear protective gloves/ eye</li> <li>Response:</li> <li>P302 + P352 IF ON SKIN: Wash</li> <li>P305 + P351 + P338 IF IN EYES</li> <li>for several minutes. Remove comeasy to do. Continue rinsing.</li> <li>P333 + P313 If skin irritation or raadvice/ attention.</li> <li>P337 + P313 If eye irritation persattention.</li> <li>P363 Wash contaminated clothin</li> <li>Storage:</li> <li>P410 + P412 Protect from sunlightemperatures exceeding 50 °C/1</li> <li>Disposal:</li> <li>P501 Dispose of contents/contain</li> </ul>

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
1,1-difluoroethane	75-37-6	>= 70 - < 90
propan-2-ol	67-63-0	>= 10 - < 20
Distillates (petroleum), hydrotreated light	64742-47-8	>= 5 - < 10
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 5 - < 10
geraniol	106-24-1	>= 1 - < 3
Pyrethrins and Pyrethroids	8003-34-7	>= 1 - < 3
geraniol	106-24-1	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.

Version 5.1	Revision Date	e 10/01/2023	Print Date 04/18/2024
In case of skin contact	lf on skin, rins	n persists, call a physic se well with water. remove clothes.	cian.
In case of eye contact	Remove conta Protect unhan Keep eye wid		
If swallowed	Never give an	ory tract clear. hilk or alcoholic beverage hything by mouth to an persist, call a physician	unconscious person.
Most important symptoms and effects, both acute and delayed	Effects are de contact time). Causes seriou May cause an	mediate and delayed. ependent on exposure us eye irritation. n allergic skin reaction. on 2 of SDS to see all p	
Notes to physician	: Treat symptor	matically. Symptoms r	may be delayed.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Fluorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

Version 5.1

Revision Date 10/01/2023

Print Date 04/18/2024

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	<ul> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Do not breathe vapours or spray mist.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Always replace cap after use.</li> </ul>
Conditions for safe storage	:	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	:	Do not store near acids. Store and keep away from bases and alkalies.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,1-difluoroethane	75-37-6	TWA	1,000 ppm	US WEEL

Version 5.1

Revision Date 10/01/2023

Print Date 04/18/2024

propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0
		PEL	400 ppm 980 mg/m3	CAL PEL
		STEL	500 ppm 1,225 mg/m3	CAL PEL
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
Pyrethrins and Pyrethroids	8003-34-7	TWA	5 mg/m3	ACGIH
		TWA	5 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA Z-1
		TWA	5 mg/m3	OSHA P0
		PEL	5 mg/m3	CAL PEL

## **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH BEI
				shift at		
				end of		
				workwee		
				k		

## Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material Remarks		Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles

Version 5.1	Revision Date 10/01/2023	Print Date 04/18/2024
	with pure water.	
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous su	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

gas

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied
Colour	:	clear
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	0.85 g/cm3
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available

## SECTION 10. STABILITY AND REACTIVITY

Version 5.1	Revision Date 10/01/2023	Print Date 04/18/2024
Reactivity	: Stable	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions Conditions to avoid	<ul><li>: Vapours may form explosive mixture</li><li>: Heat, flames and sparks. Extremes of temperature and direct</li></ul>	
Incompatible materials	: Acids Bases	
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)	

## SECTION 11. TOXICOLOGICAL INFORMATION

### **Potential Health Effects**

Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	<ul> <li>Effects are immediate and delayed. Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Causes serious eye irritation. May cause an allergic skin reaction.</li> <li>Review section 2 of SDS to see all potential hazards.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul>	
Carcinogenicity:		
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with unknown relevance to humans ethanol 64-17-5	
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : 4,798 mg/kg Method: Calculation method	
Acute inhalation toxicity	: Acute toxicity estimate : 7.38 mg/l Exposure time: 4 h Test atmosphere: dust/mist	

Version 5.1	Revision Date 10/01/2023	Print Date 04/18/2024
	Method: Calculation method	
Aquita darmal taviaitu	A outo tovicity optimate 5 000 mg//g	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Components:		
1,1-difluoroethane:	: LC50 Mouse: 977,000 mg/l	
Acute inhalation toxicity	Exposure time: 2 h	
<b>propan-2-ol:</b> Acute oral toxicity	: LD50 Oral Rat: 4,396 mg/kg	
	Method: Calculation method	
Distillates (petroleum), hyd	rotreated light.	
Acute oral toxicity	: LD50 Rat: > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h	
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May cause skin irrit	tation in susceptible persons.	
Serious eye damage/eye irritati	on	
Product:		
Remarks: Eye irritation		
Respiratory or skin sensitisation		
Product:		
Remarks: Causes sensitisation	on.	
<u>Components:</u>		
geraniol:		
Classification: May cause ser	nsitisation by skin contact.	
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
- · · · · · · · · · · · · · · · · · · ·		

No data available

Version 5.1

Revision Date 10/01/2023

Print Date 04/18/2024

#### STOT - single exposure

No data available

## STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### **Further information**

Product:

Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Persistence and degradability

### No data available Bioaccumulative potential

P	ro	du	ct	

<u>I TOMMON</u>	
Partition coefficient: n- octanol/water <u>Components:</u> propan-2-ol:	: Remarks: No data available
	: log Pow: 0.05
-	: log Pow: 2.5 (25 °C)
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Version 5.1	Revision Date 10/01/2023	Print Date 04/18/2024
Additional ecological information	: An environmental hazard canne event of unprofessional handlin aquatic life with long lasting effe	g or disposal., Toxic to

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

## Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the

Version 5.1

Revision Date 10/01/2023

Print Date 04/18/2024

classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Pyrethrins and Pyrethroids	8003-34-7	1	56

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, o Gases under pressure Serious eye damage or eye irritation Respiratory or skin sensitisation	r solids)	
SARA 302	:	No chemicals in this material are subje requirements of SARA Title III, Section	•	ing
SARA 313	:	_ ( , )		æls 5.0143 %
California Prop. 65		propylpiperonyl ether		
		This product does not contain any ch California to cause cancer, birth defe reproductive harm.		

#### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

Version 5.1

Print Date 04/18/2024

#### **SECTION 16. OTHER INFORMATION**

**Further information** 

NFPA:

HEALTH	3
FLAMMABILITY	4
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme

#### HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	3

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### **OSHA - GHS Label Information:**

Hazard pictograms	Flame Gas cy linder Exclamation mark	
Signal w ord Hazard statements Precautionary statements	<ul> <li>Danger:</li> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation.</li> <li>Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Do</li> </ul>	
	not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves/eye protection/face protection. <b>Response:</b> IF ON SKIN: Wash with plenty of soap and w ater. IF IN EYES: Rinse cautiously w ith water for several minutes. Remove contact lenses, if present and easy	

Version 5.1

#### Revision Date 10/01/2023

to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	5.1
Revision Date:	10/01/2023
Print Date:	04/18/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.