Version 2.1 Revision Date 10/01/2023 Print Date 04/25/2024

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	COUNTRY VET FARM & DAIRY CV-80D_24N18.5_6CT
Material number	:	348318CVA
Manufacturer or supplier's o	leta	nils
Company	:	Amrep, Inc.
Address	:	990 Industrial Park Drive Marietta, GA 30062
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

## SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	amber, light yellow
Odour	characteristic

#### **GHS Classification**

Flammable aerosols Gases under pressure	: Category 1 : Liquefied gas
GHS label elements	
Hazard pictograms	: Flame Gas cylinder
Signal word	: Danger
Hazard statements	: H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated.
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.</li> <li>Storage:</li> </ul>

Version 2.1

Revision Date 10/01/2023

Print Date 04/25/2024

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 50 - < 70
1,1-difluoroethane	75-37-6	>= 10 - < 20
butane	106-97-8	>= 5 - < 10
ethanol	64-17-5	>= 3 - < 5
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 3 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If skin irritation persists, call a physician. If on clothes, remove clothes. In case of contact, immediately flush skin with plenty of water.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Immediately flush eye(s) with plenty of water.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.

Version 2.1

Revision Date 10/01/2023 Print Date 04/25/2024

Suitable extinguishing media	Carbon dioxide (CO2) Water spray jet Alcohol-resistant foam Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drain courses.	is or water
Hazardous combustion products Specific extinguishing methods	Carbon dioxide (CO2) Carbon monoxide Smoke Fluorine compounds Use extinguishing measures that are appropriate t	o local
Further information	circumstances and the surrounding environment. Collect contaminated fire extinguishing water sepa must not be discharged into drains. Fire residues and contaminated fire extinguishing be disposed of in accordance with local regulations For safety reasons in case of fire, cans should be separately in closed containments. Use a water spray to cool fully closed containers.	water must
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefig necessary.	hting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

Version 2.1

Revision Date 10/01/2023 Print Date 04/25/2024

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.</li> </ul>
Conditions for safe storage	<ul> <li>No smoking.</li> <li>Observe label precautions.</li> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
1,1-difluoroethane	75-37-6	ŤWA	1,000 ppm	US WEEL
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		PEL	800 ppm 1,900 mg/m3	CAL PEL
		STEL	1,000 ppm	ACGIH
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL

		—	—				
rsion 2.1	Revision D	ate 10/01/2023	Print	Date 04/25/202			
		TWA	1,000 ppm	OSHA Z-1			
			1,900 mg/m3				
		TWA	1,000 ppm	OSHA P0			
		0771	1,900 mg/m3				
		STEL	1,000 ppm	ACGIH			
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL			
			1,900 mg/m3				
Engineering measures	: effective ver	ntilation in all p	rocessing areas				
5			<b>J</b>				
Personal protective equip	ment						
		on protection	unloss adaquata las	al avhaust			
Respiratory protection		: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates					
	that exposures are within recommended exposure guidelines.						
				C C			
Hand protection							
Remarks	: The suitabil	ity for a specific	workplace should b	e discussed			
			rotective gloves.				
<b>–</b> :	<b>A</b>						
Eye protection	: Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles						
		with pure water.					
	Safety glass						
Skin and body protection	: Impervious						
			cording to the amou				
	concentratio	on of the dange	rous substance at th	he work place.			
Hygiene measures	· When using	do not eat or d	trink				
rygiene measures		do not smoke.					
			and at the end of w	orkday.			

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: amber, light yellow
Odour	: characteristic
Odour Threshold	: No data available
рН	: 9.1
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	:
	No data available
Evaporation rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available

Version 2.1	Revision Date 10/01/2023	Print Date 04/25/2024
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.782 g/cm3	
Solubility(ies)		
Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 39 kJ/g	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

## SECTION 11. TOXICOLOGICAL INFORMATION

### **Potential Health Effects**

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects may be delayed, symptoms may include minor eye or skin irritation.</li> <li>Overexposure may cause mild eye or skin irritation.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul>

ersion 2.1	Revision Date 10/01/2023	Print Date 04/25/2024	
Carcinogenicity:			
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed		
ACGIH	human carcinogen by IARC. Confirmed animal carcinogen with unknown relevance to humans ethanol 64-17		
OSHA	No component of this product presen	t at levels greater than or	
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
ute toxicity			
Product:			
Acute oral toxicity	: Acute toxicity estimate : > 5,000 n Method: Calculation method	ng/kg	
Acute inhalation toxicity	: Acute toxicity estimate : 11.11 mg	ı/I	
	Exposure time: 4 h Test atmosphere: dust/mist		
	Method: Calculation method		
Acute dermal toxicity	: Acute toxicity estimate : 3,842 mg Method: Calculation method	/kg	
Components:			
Distillates (petroleum), hyd			
Acute oral toxicity	: LD50 Rat: > 5,000 mg/kg		
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h		
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg		
1,1-difluoroethane:			
Acute inhalation toxicity	: LC50 Mouse: 977,000 mg/l Exposure time: 2 h		
ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg		
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour		
in corrosion/irritation			
Product:			
Remarks: May irritate skin.			

Version 2.1

Revision Date 10/01/2023

Print Date 04/25/2024

#### Serious eye damage/eye irritation

#### Product:

Remarks: May irritate eyes.

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

#### **Further information**

Product:

Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

### Product:

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data available
butane : Partition coefficient: n-	: Pow: 2.89

Version 2.1	Revision Date 10/01/2023	Print Date 04/25/2024
octanol/water ethanol : Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances	tion 602 Class I
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: An environmental hazard cannot event of unprofessional handling aquatic life with long lasting effe	or disposal., Toxic to

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Send to a licensed waste management company.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):

Version 2.1

Revision Date 10/01/2023

Print Date 04/25/2024

UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

#### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

Harmful if swallowed.

Harmful if absorbed through skin.

This pesticide is toxic to fish and aquatic invertebrates.

Observe label precautions.

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Pyrethrins and Pyrethroids	8003-34-7	1	200

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, Gases under pressure	or solids)	
SARA 302	:	No chemicals in this material are subj requirements of SARA Title III, Section	•	ing
SARA 313	:	The following components are subject established by SARA Title III, Section 2-(2-butoxyethoxy)ethyl 6- propylpiperonyl ether		els 3.9997 %

Version 2.1

Revision Date 10/01/2023

Print Date 04/25/2024

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 2.1

Revision Date 10/01/2023

Print Date 04/25/2024

### **Further information**

#### NFPA:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic



Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Version:	2.1
Revision Date:	10/01/2023
Print Date:	04/25/2024

Version 2.1

Revision Date 10/01/2023

Print Date 04/25/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.