Version 4.1	Revision Date 10/01/2023	Print Date 04/20/2024
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION	
Material name	: ZEP TNT BRUSHLESS TRUCK / WASH_275GL	AND TRAILER
Material number	: 000000000037689	
Manufacturer or supplie	er's details	
Company	· Zon Inc	

Company	•	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone nur	nbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	liquid
Colour	colourless
Odour	mild

### **GHS Classification**

Skin corrosion Serious eye damage Specific target organ toxicity - repeated exposure (Inhalation)	: Category 1 : Category 1 : Category 2
GHS label elements	
Hazard pictograms	: Health hazard
Signal word	: Danger
Hazard statements	<ul> <li>H314 Causes severe skin burns and eye damage.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>
Precautionary statements	: <b>Prevention:</b> P260 Do not breathe dust/fume/ gas/mist/vapours/ spray.

Version 4.1	Revision Date 10/01/2023	Print Date 04/20/2024
	P264 Wash skin thoroughly after P280 Wear protective gloves/ pro protection/ face protection.	

#### Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P314 Get medical advice/ attention if you feel unwell.

P363 Wash contaminated clothing before reuse.

#### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 5 - < 10
Alcohols, C9-11, ethoxylated	68439-46-3	>= 3 - < 5
Sodium metasilicate (disodium salt)	6834-92-0	>= 1 - < 3
sodium xylenesulphonate	1300-72-7	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>Move out of dangerous area.</li> <li>Consult a physician.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> </ul>

Version 4.1	Revision Date 10/01/2023	Print Date 04/20/2024
	Wash contaminated clothing before	e re-use.
In case of eye contact	<ul> <li>Small amounts splashed into eyes tissue damage and blindness.</li> <li>Rinse thoroughly with plenty of wat and consult a physician.</li> <li>Continue rinsing eyes during transp Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a s</li> </ul>	er for at least 15 minutes
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do NOT induce vomiting.</li> <li>Do not give milk or alcoholic bevera Never give anything by mouth to a If symptoms persist, call a physicia Take victim immediately to hospita</li> </ul>	n unconscious person. In.
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are immediate and delayed Symptoms may include blistering, i Effects are dependent on exposure contact time).</li> <li>Causes severe skin burns and eye Causes serious eye damage.</li> <li>Review section 2 of SDS to see all</li> </ul>	irritation, burns, and pain. (dose, concentration, damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Smoke Sulphur oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	<ul> <li>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.</li> <li>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.</li> </ul>
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

Version 4.1

Revision Date 10/01/2023

Print Date 04/20/2024

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	se personal protective equipment.	
Environmental precautions	revent product from entering drains. revent further leakage or spillage if safe to do the product contaminates rivers and lakes or espective authorities.	
Methods and materials for containment and cleaning up	oak up with inert absorbent material (e.g. san cid binder, universal binder, sawdust). eep in suitable, closed containers for disposa	

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Keep away from oxidizing agents and strongly acid or alkaline materials.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	effective ventilation in all processing areas
Personal protective equipme	ent	
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material	:	Protective gloves

Version 4.1	Revision Date 10/01/2023	Print Date 04/20/2024
Remarks	: The suitability for a specific workpla with the producers of the protective	
Eye protection	<ul> <li>Access to clean water to rinse eyes include: eye wash stations or show with pure water.</li> <li>Tightly fitting safety goggles</li> <li>Wear face-shield and protective su problems.</li> </ul>	rers, or eye wash bottles
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous sul	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	mild
Odour Threshold	:	No data available
рН	:	> 13
Boiling point	:	100 °C
Flash point	:	
		Not applicable
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.069 g/cm3
Solubility(ies)		
Water solubility	:	soluble in cold water, soluble in hot water
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available
Viscosity		
Viscosity, kinematic	:	4.0 mm2/s (20 °C)

Version 4.1

Revision Date 10/01/2023

Print Date 04/20/2024

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No decomposition if stored and applied as directed	I <b>.</b>
Conditions to avoid	: No data available	
Incompatible materials	: Acids Oxidizing agents	
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).	

### SECTION 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Causes severe skin burns and eye damage.</li> <li>Causes serious eye damage.</li> <li>Review section 2 of SDS to see all potential hazards.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	

Version 4.1	Revision Date 10/01/2023	Print Date 04/20/2024
Acute oral toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	lg/kg
Components:		
Alcohols, C9-11, ethoxyla Acute oral toxicity		
Sodium metasilicate (dise Acute oral toxicity		
Skin corrosion/irritation		
Product:		
Remarks: Extremely corros	sive and destructive to tissue.	
Serious eye damage/eye irrita	ation	
Product:		
Remarks: May cause irreve	ersible eye damage.	
Respiratory or skin sensitisati	on	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
Components:		
tetrasodium ethylenedian Exposure routes: Inhalat Assessment: May cause		or repeated exposure.
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data availa	able	

Version 4.1

Revision Date 10/01/2023

Print Date 04/20/2024

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):

Version 4.1

Revision Date 10/01/2023

Print Date 04/20/2024

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethylbenzene	100-41-4	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### **CERCLA** Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Skin corrosion or irritation
	Serious eye damage or eye irritation
	Specific target organ toxicity (single or repeated exposure)

Version 4.1	Revision Date 10/01/2023	Print Date 04/20/2024
SARA 302	: No chemicals in this material are sub requirements of SARA Title III, Section	
SARA 313	: This material does not contain any cl known CAS numbers that exceed the reporting levels established by SARA	e threshold (De Minimis)
California Prop. 65		
	WARNING: This product can expo- including ethylbenzene, which is/a California to cause cancer. For mo www.P65Warnings.ca.gov.	re known to the State of

### The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 4.1

Revision Date 10/01/2023

Print Date 04/20/2024

### **Further information**

### NFPA:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

#### HMIS III:

HEALTH	3*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

Hazard pictograms	Health hazard Corrosion
Signal w ord	: Danger:
Hazard statements	<ul> <li>Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>
Precautionary statements	
	<b>Prevention:</b> Do not breathe dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
	<b>Response:</b> IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical advice/attention if you feel unw ell. Wash contaminated clothing before reuse.
	Disposal: Dispose of contents/container in accordance with local regulation.

## **OSHA - GHS Label Information:**

Version 4.1

Revision Date 10/01/2023

Print Date 04/20/2024

Version:	4.1
Revision Date:	10/01/2023
Print Date:	04/20/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.