Version 3.2	Revision Date 10/01/2023		Print Date 04/26/2024	
SECTION 1. PRODUCT AND	СОМРА	NY IDENTIFICATION		
Material name	:	ZEP LUSTER WASH CONCENTRATED CLEANER	WHEEL AND TIRE	
Material number	:	0000000000057685		
Manufacturer or supplie	er's detai	ils		
Company	:	Zep Inc.		
Address	:	350 Joe Frank Harris Parkway, SE		

: 350 Joe Frank Harris Parkway, SE Emerson, GA 30137

: Compliance Services - 877-428-9937

Emergency telephone numbers			
For SDS Information	:	Compliance Services - 877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.	
Emergency		In the District of Columbia 202-483-7616	

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Telephone

Appearance	liquid
Colour	colourless
Odour	mild

GHS Classification

Skin corrosion Serious eye damage Specific target organ toxicity - repeated exposure (Inhalation)	: Category 1 : Category 1 : Category 2
GHS label elements	
Hazard pictograms	: Health hazard
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage. H373 May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	: Prevention: P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Version 3.2 Revision Date 10/01/2023 Print Date 04/26/2024

P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P314 Get medical advice/ attention if you feel unwell. P363 Wash contaminated clothing before reuse. Disposal: P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
2-aminoethanol	141-43-5	>= 10 - < 30
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 5 - < 10
2-butoxyethanol	111-76-2	>= 5 - < 10
sodium xylenesulphonate	1300-72-7	>= 5 - < 10
4-Nonylphenol branched, ethoxylated	127087-87-0	>= 1 - < 5
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 5
sodium hydroxide	1310-73-2	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
If inhaled	 If unconscious, place in recovery position and seek medi advice. If symptoms persist, call a physician. 	cal
In case of skin contact	: Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.	

Version 3.2	Revision Date 10/01/2023	Print Date 04/26/2024
	Wash off immediately with pl minutes. If on clothes, remove clothes Wash contaminated clothing If symptoms persist, call a pl	s. I before re-use.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If in eyes, rinse with water fo Keep eye wide open while rin If eye irritation persists, cons	nsing.
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unl physician or poison control o Never give anything by mout Take victim immediately to h	center. th to an unconscious person.
Most important symptoms and effects, both acute and delayed	Symptoms may differ depend affected. These effects gene function or change, which may respiratory issues, and gene Effects are dependent on ex contact time). Causes severe skin burns ar	ering, irritation, burns, and pain. ding on organs and systems erally are reflected in reduced ay include cramping, swelling, ral pain. posure (dose, concentration, and eye damage. Is through prolonged or repeated
Notes to physician	: Treat symptomatically. Sym	ptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Version 3.2	Revision Date 10/01/2023	Print Date 04/26/2024
Special protective equipment for firefighters	: Wear self-contained breathing a necessary.	apparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Immediately evacuate personnel to safe areas. Ensure adequate ventilation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-aminoethanol	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm	NIOSH REL
			8 mg/m3	
		ST	6 ppm	NIOSH REL

Version 3.2

Revision Date 10/01/2023

Print Date 04/26/2024

			15 mg/m3	
		TWA	3 ppm 6 mg/m3	OSHA Z-1
		STEL	6 ppm 15 mg/m3	OSHA PO
		TWA	3 ppm 8 mg/m3	OSHA P0
		PEL	3 ppm 8 mg/m3	CAL PEL
		STEL	6 ppm 15 mg/m3	CAL PEL
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	CAL PEL

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-BUTOXYE THA NOL	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200.mg/g Creatinine	ACGIH BEI

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
	Protective gloves Impervious gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	Ensure that eyewash stations and safety showers are close to the workstation location. Face-shield Safety goggles

Version 3.2	Revision Date 10/01/2023	Print Date 04/26/2024
Skin and body protection	: Impervious clothing Choose body protection according	
Hygiene measures	concentration of the dangerous suWhen using do not eat or drink.When using do not smoke.	
	Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

:	liquid
:	colourless
:	mild
:	No data available
:	13.5 - 14
:	No data available
:	104.44 °C
:	
	does not flash
:	1
:	No data available
:	No data available
:	not determined
:	No data available
:	1.09 g/cm3
:	soluble
:	No data available
:	not determined
:	No data available
:	10.5 mm2/s (20 °C)

Version 3.2

Revision Date 10/01/2023

Print Date 04/26/2024

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Oxidizing agents Acids
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Symptoms may differ depending on organs and systems affected. These effects generally are reflected in reduced function or change, which may include cramping, swelling, respiratory issues, and general pain. Effects are dependent on exposure (dose, concentration, contact time). Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans 2-butoxyethanol 111-76-2
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	

Version 3.2	Revision Date 10/01/2023Print Date 04/26/2024
Acute oral toxicity	: Acute toxicity estimate : 3,317 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : 60.36 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
2-aminoethanol: Acute oral toxicity	: LD50 Oral Mouse: 700 mg/kg
	LD50 Oral Rat: 1,515 mg/kg
Acute inhalation toxicity	: LC50 Mouse: > 1.21 mg/l
2-butoxyethanol: Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg
4-NonyIphenol branched, e Acute oral toxicity	thoxylated: : LD50 Oral Rat: 16,000 mg/kg
Acute dermal toxicity	: LD50 Rabbit: 2,573 mg/kg
Alcohols, C9-11, ethoxylate Acute oral toxicity	d: : LD50 Oral Rat: 1,400 mg/kg
sodium hydroxide: Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,350 mg/kg
Skin corrosion/irritation	
Product:	
Remarks: Extremely corrosive	e and destructive to tissue.
Serious eye damage/eye irritati	on
Product:	
Remarks: May cause irrevers	ble eye damage.
Respiratory or skin sensitisation	
No data available	
Germ cell mutagenicity	

Version 3.2

Revision Date 10/01/2023

Print Date 04/26/2024

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

Components:

tetrasodium ethylenediaminetetraacetate: Exposure routes: Inhalation Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> sodium hydroxide :	
Toxicity to fish :	LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l Exposure time: 96 h Test Method: static test
	LC50 (Oncorhynchus tshawytscha (chinook salmon)): 152 mg/l Exposure time: 96 h
	LC50 (Oncorhynchus mykiss (rainbow trout)): 40 mg/l Exposure time: 48 h
Toxicity to daphnia and : other aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 34 - 47 mg/l Exposure time: 48 h
	EC50 (Crangon crangon (shrimp)): 33 - 100 mg/l Exposure time: 48 h

Version 3.2	Revision Date 10/01/2023	Print Date 04/26/2024
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> 2-aminoethanol : Partition coefficient: n- octanol/water	: Remarks: No data available : log Pow: -1.31	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation Remarks	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	tion 602 Class I or was manufactured s defined by the U.S.
Additional ecological information	: No data available	
<u>Components:</u> sodium hydroxide : Additional ecological	: Harmful to aquatic life.	
information	. Tarmur to aqualic life.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Version 3.2

Revision Date 10/01/2023

Print Date 04/26/2024

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:

Version 3.2

Revision Date 10/01/2023

Print Date 04/26/2024

2-butoxyethanol

111-76-2 6.2483 %

California Prop. 65



WARNING: This product can expose you to chemicals including 2,2'-iminodiethanol, ethylbenzene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 3.2

Revision Date 10/01/2023

Print Date 04/26/2024

Further information

NFPA:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

OSHA - GHS Label Information:

- 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Hazard pictograms	Health hazard
Signal w ord	: Danger:
Hazard statements	 Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	
	Prevention: Do not breathe dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/ eye protection/face protection.
	Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical advice/ attention if you feel unw ell. Wash contaminated clothing before reuse.
	Disposal: Dispose of contents/container in accordance with local regulation.

Version 3.2

Revision Date 10/01/2023

Print Date 04/26/2024

Version:	3.2
Revision Date:	10/01/2023
Print Date:	04/26/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.