Version 3.2 Revision Date 10/01/2023 Print Date 04/25/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP PDC PLAIN DISINFECTANT CLEANER II_55GL
Material number	:	0000000000655685
Manufacturer or supplier's	deta	ails
Company	:	Zep, Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	colourless
Odour	characteristic

GHS Classification

Acute toxicity (Inhalation) Skin irritation Serious eye damage Specific target organ toxicity - single exposure (Inhalation)	: Category 2 : Category 2 : Category 1 : Category 2
GHS label elements	
Hazard pictograms	: Skull and crossbones
Signal word	: Danger
Hazard statements	 H315 Causes skin irritation. H318 Causes serious eye damage. H330 Fatal if inhaled. H371 May cause damage to organs if inhaled.
Precautionary statements	: Prevention:

Version 3.2	Revision Date 10/01/2023	Print Date 04/25/2024
	 P260 Do not breathe dust/fume P264 Wash skin thoroughly after P270 Do not eat, drink or smoke P271 Use only outdoors or in a P280 Wear protective gloves/ e P284 Wear respiratory protection Response: P302 + P352 IF ON SKIN: Was P304 + P340 + P310 IF INHALE and keep comfortable for breath POISON CENTER/doctor. P305 + P351 + P338 + P310 IF water for several minutes. Remo and easy to do. Continue rinsing CENTER/doctor. P308 + P311 IF exposed or cor CENTER/doctor. P332 + P313 If skin irritation oc attention. P362 Take off contaminated closing Storage: P403 + P233 Store in a well-ver tightly closed. Disposal: P501 Dispose of contents/conta regulation. 	er handling. e when using this product. well-ventilated area. eye protection/ face protection. on. wheth plenty of soap and water ED: Remove person to fresh air ning. Immediately call a TIN EYES: Rinse cautiously wit ove contact lenses, if present g. Immediately call a POISON incerned: Call a POISON ecurs: Get medical advice/ othing and wash before reuse. ntilated place. Keep container

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Undecan-1-ol, ethoxylated	34398-01-1	>= 3 - < 5
sodium carbonate	497-19-8	>= 3 - < 5
Quaternary ammonium compounds, C12-14- alkyl[(ethylphenyl)methyl]dimethyl, chlorides	85409-23-0	>= 1 - < 3
Quaternary ammonium compounds, benzyl-C12- 18-alkyldimethyl, chlorides	68391-01-5	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	: Call a physician or poison control centre immediately.

rsion 3.2	Revision Date 10/01/2023	Print Date 04/25/20
	If unconscious, place in recovery p advice.	osition and seek medical
In case of skin contact	 Immediate medical treatment is new wounds from corrosion of the skin l difficulty. Wash off immediately with plenty o minutes. If skin irritation persists, call a phys 	heal slowly and with f water for at least 15
	If skin irritation persists, call a phys If on skin, rinse well with water. If on clothes, remove clothes.	ician.
In case of eye contact	 Small amounts splashed into eyes tissue damage and blindness. Rinse immediately with plenty of wa for at least 15 minutes. Continue rinsing eyes during transp Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s 	ater, also under the eyelid port to hospital.
	Small amounts splashed into eyes tissue damage and blindness. In the case of contact with eyes, rir of water and seek medical advice. Continue rinsing eyes during transp Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s	nse immediately with plent
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center. Take victim immediately to hospital 	n. rected to do so by a
	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic bevera Never give anything by mouth to ar If symptoms persist, call a physicia Take victim immediately to hospital	n unconscious person. n.
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed Symptoms may include blistering, i Effects are dependent on exposure contact time). Symptoms may include central ner resulting in headache, nausea and Causes skin irritation. Causes serious eye damage. Review section 2 of SDS to see all Fatal if inhaled. 	rritation, burns, and pain. e (dose, concentration, vous system depression, /or dizziness.

EP PDC PLAIN DISINFECTANT CLEANER II_55GL		
ersion 3.2	Revision Date 10/01/2023	3 Print Date 04/25/202
Notes to physician	: Treat symptomatically. Sy	ymptoms may be delayed.
CTION 5. FIREFIGHTING MEA	JRES	
Suitable extinguishing media	: Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from the courses.	fire fighting to enter drains or water
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Nitrogen oxides (NOx) Chlorine compounds	
Specific extinguishing methods		res that are appropriate to local rrounding environment.
Further information	must not be discharged in Fire residues and contami be disposed of in accorda	inated fire extinguishing water must nce with local regulations. extinguishing water separately. This

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.
	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for	:	Soak up with inert absorbent material (e.g. sand, silica gel,

Version 3.2	Revision Date 10/01/2023	Print Date 04/25/2024
containment and cleaning up	acid binder, universal binder, sawd Keep in suitable, closed containers Wipe up with absorbent material (e	for disposal.
	Neutralise with acid. Soak up with inert absorbent mate acid binder, universal binder, sawo Keep in suitable, closed containers	lust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling :	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage :	Prevent unauthorized access. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid :	Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	: effective ventilation in all processing areas
Personal protective equipme	ent
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
	In the case of vapour formation use a respirator with an approved filter.
Hand protection Material	: Protective gloves

/ersion 3.2	Revision Date 10/01/2023	Print Date 04/25/2024
Remarks	: The suitability for a specific workpla with the producers of the protective	
	The suitability for a specific workpla with the producers of the protective	
Eye protection	 Ensure that eyewash stations and s the workstation location. Tightly fitting safety goggles Wear face-shield and protective sui problems. 	
	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective sui problems.	t for abnormal processing
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous sub	
Hygiene measures	 Avoid contact with skin, eyes and c When using do not eat or drink. When using do not smoke. Wash hands before breaks and imr product. 	-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	11.5 - 12.2
Melting point/freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	> 93.3 °C Method: closed cup
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.025 g/cm3
Solubility(ies)		

Version 3.2	Revision Date 10/01/2023	Print Date 04/25/2024
Water solubility	: soluble in cold water, soluble in ho	ot water
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	Stable No decomposition if stored and applied as directed.	
Chemical stability	Stable under normal conditions. No decomposition if stored and applied as directed.	
Possibility of hazardous reactions	No decomposition if stored and applied as directed.	
Conditions to avoid	Heat, flames and sparks. Avoid temperatures above 60°C, direct sunlight and con with sources of heat.	itact
	No data available	
Incompatible materials	Strong acids Strong oxidizing agents Anionic surfactants	
Hazardous decomposition products	Carbon oxides Nitrogen oxides (NOx) Hydrocarbons	

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Causes skin irritation. Causes serious eye damage.

Version 3.2	Revision Date 10/01/2023	Print Date 04/25/2024
	Review section 2 of SDS to see all Fatal if inhaled.	potential hazards.
	Treat symptomatically. Symptoms	may be delayed.
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable, human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with unk humans	
OSHA	ethanol No component of this product present equal to 0.1% is on OSHA's list of regu	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	at levels greater than or
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg Method: Calculation method	ı/kg
Acute inhalation toxicity	: LC50 Rat: > 0.5 - 2 mg/l	
	Exposure time: 4 h Test atmosphere: vapour Method: Third Party Data - Actual o	r Inferred
Components:		
sodium carbonate:		
Acute oral toxicity	: LD50 Oral Rat: 4,090 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 5,750 mg/l Exposure time: 2 h	
Quaternary ammonium con Acute oral toxicity	npounds, C12-14-alkyl[(ethylphenyl)me : LD50 Oral Rat: > 500 mg/kg	thyl]dimethyl, chlorides:

Skin corrosion/irritation

Product:

Result: Irritating to skin. Classification: Irritating to skin. Method: Third Party Data - Actual or Inferred

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Version 3.2

Revision Date 10/01/2023

Print Date 04/25/2024

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

Product:

Exposure routes: Inhalation Assessment: May cause damage to organs. Remarks: Third Party Data - Actual or Inferred

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: Very toxic to aquatic organisms. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and degradability

No data available Bioaccumulative potential

Product:

Version 3.2	Revision Date 10/01/2023	Print Date 04/25/2024
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u> Product:</u>		
Regulation	40 CFR Protection of Environment; Part 82 Protection Stratospheric Ozone - CAA Section 602 Class I Substances This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).	
Remarks		
Additional ecological information	: Very toxic to aquatic organisms, r adverse effects in the aquatic env An environmental hazard cannot event of unprofessional handling aquatic life.	vironment. be excluded in the

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Provincial Environmental control agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Version 3.2

Revision Date 10/01/2023

Print Date 04/25/2024

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Notes

This liquid product and any leakage of this product, does not pose a mist or aerosol inhalation hazard during transportation. The workplace GHS inhalation hazard classification (Section 2 of SDS) does not correlate to a transportation inhalation hazard, therefore is not applicable.

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: DANGER Corrosive - causes irreversible eye damage. Causes skin burns. Harmful if swallowed. This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp.

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Version 3.2

Revision Date 10/01/2023

Print Date 04/25/2024

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

(Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
e	ethylene oxide	75-21-8	10	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethylene oxide	75-21-8	10	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	erious eye damage or eye kin corrosion or irritation cute toxicity (any route of pecific target organ toxicit	
SARA 302	o chemicals in this materia equirements of SARA Title	al are subject to the reporting III, Section 302.
SARA 313	nown CAS numbers that e	ain any chemical components with exceed the threshold (De Minimis) I by SARA Title III, Section 313.
California Prop. 65		
	including acetaldehyde, a the State of California to which is/are known to the	can expose you to chemicals ethylene oxide, which is/are known to cause cancer, and ethylene oxide, e State of California to cause birth tive harm. For more information go to v.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 3.2

Revision Date 10/01/2023

Print Date 04/25/2024

Further information

NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Version 3.2

Revision Date 10/01/2023

Print Date 04/25/2024

Storage : Store in a w ell-ventilated place. Keep container tightly closed. **Disposal :** Dispose of contents/container in accordance with local regulation.

Version:	3.2
Revision Date:	10/01/2023
Print Date:	04/25/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.