Version 2.3 Revision Date 10/01/2023 Print Date 04/25/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP FLASH CONCRETE FLOOR CLEANER
Material number	:	0000000000072380
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	powder
Colour	orange
Odour	No data available

GHS Classification

Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
Specific target organ toxicity -	:	Category 3 (Respiratory system)
single exposure		

GHS label elements

Hazard pictograms	Corrosion Exclamation
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.
Precautionary statements	 Prevention: P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

Version 2.3	Revision Date 10/01/2023	Print Date 04/25/2024
	 P280 Wear protective gloves/ proprotection/ face protection. Response: P301 + P330 + P331 IF SWALLO induce vomiting. P303 + P361 + P353 IF ON SKII immediately all contaminated clot P304 + P340 + P310 IF INHALEI and keep comfortable for breathin POISON CENTER/doctor. P305 + P351 + P338 + P310 IF I water for several minutes. Remoriand easy to do. Continue rinsing CENTER/doctor. P363 Wash contaminated clothin Storage: P403 + P233 Store in a well-vent tightly closed. Disposal: P501 Dispose of contents/contai regulation. 	OWED: Rinse mouth. Do NOT N (or hair): Take off othing. Rinse skin with water. D: Remove person to fresh air ng. Immediately call a IN EYES: Rinse cautiously with ve contact lenses, if present . Immediately call a POISON ng before reuse. ilated place. Keep container

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Sodium metasilicate (disodium salt)	6834-92-0	>= 30 - < 50
sodium carbonate	497-19-8	>= 10 - < 20

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

Version 2.3	Revision Date 10/01/2023	Print Date 04/25/2024
	If skin irritation persists, call a phys	sician.
In case of eye contact	 Small amounts splashed into eyes tissue damage and blindness. Rinse immediately with plenty of w for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s 	ater, also under the eyelids,
If swallowed	 Clean mouth with water and drink Keep respiratory tract clear. DO NOT induce vomiting unless di physician or poison control center. Never give anything by mouth to a If symptoms persist, call a physicia Take victim immediately to hospita 	rected to do so by a n unconscious person. n.
Most important symptoms and effects, both acute and delayed	 Effects are dependent on exposure contact time). Effects are immediate and delayed Symptoms may include blistering, Symptoms may include difficulty be wheezing, throat irritation, and tigh 	irritation, burns, and pain. reathing, coughing,
	Causes severe skin burns and eye May cause respiratory irritation. Review section 2 of SDS to see all	-
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Dry chemi	cal
Unsuitable extinguishing media	High volun	ne water jet
Specific hazards during firefighting	Do not allo courses.	ow run-off from fire fighting to enter drains or water
Hazardous combustion products	No hazard	ous combustion products are known
Specific extinguishing methods		uishing measures that are appropriate to local news and the surrounding environment.
Further information	must not b Fire residu	ntaminated fire extinguishing water separately. This be discharged into drains. les and contaminated fire extinguishing water must ed of in accordance with local regulations.
Special protective equipment for firefighters	Wear self- necessary	contained breathing apparatus for firefighting if

Version 2.3

Revision Date 10/01/2023

Print Date 04/25/2024

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	: Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Keep away from oxidizing agents and strongly acid or alkaline materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	effective	ventilation	in al	processing areas
----------------------	---	-----------	-------------	-------	------------------

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust
		ventilation is provided or exposure assessment demonstrates
		that exposures are within recommended exposure guidelines.

Version 2.3	Revision Date 10/01/2023	Print Date 04/25/2024
Material Remarks	Protective glovesThe suitability for a specific workpla with the producers of the protective	
Eye protection	 Ensure that eyewash stations and the workstation location. Tightly fitting safety goggles Wear face-shield and protective su problems. 	
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous sul	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	orange
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas, liquid)	:	Not classified as a flammability hazard
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	Not applicable
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined

Version 2.3	Revision Date 10/01/2023	Print Date 04/25/2024
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Teactions	Dust may form explosive mixture in air.
Conditions to avoid	: No data available
Incompatible materials	: Metals Acids
Hazardous decomposition products	: Sulphur oxides Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	 Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway. Causes severe skin burns and eye damage. May cause respiratory irritation. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed. 	
Carcinogenicity:		
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
ACGIH	No component of this product present at levels greater than or	

Version 2.3	Revision Date 10/01/2023	Print Date 04/25/2024	
OSHA NTP	equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
Acute toxicity			
Product:			
Acute oral toxicity	: Acute toxicity estimate : 2,324 mg/ Method: Calculation method	/kg	
Components:			
Sodium metasilicate (disod Acute oral toxicity	ium salt): : LD50 Rat: 1,153 mg/kg		
sodium carbonate: Acute oral toxicity	: LD50 Oral Rat: 4,090 mg/kg		
Acute inhalation toxicity	: LC50 Rat: 5,750 mg/l Exposure time: 2 h		
Skin corrosion/irritation			
Product:			
Remarks: Extremely corrosive	Remarks: Extremely corrosive and destructive to tissue.		
Serious eye damage/eye irritati	on		

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Version 2.3

Revision Date 10/01/2023

Print Date 04/25/2024

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

information

Disposal methods

Floudel.	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.

Version 2.3 Revision Date 10/01/2023 Print Date 04/25/2024

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ethylbenzene	100-41-4	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Version 2.3	Revision Date 10/01/2023	Print Date 04/25/2024		
This material does not contain any components with a section 304 EHS RQ.				
SARA 311/312 Hazards	: Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)			
SARA 302	: No chemicals in this material are subject requirements of SARA Title III, Section 3			
SARA 313	: This material does not contain any chemical components wit known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.			
California Prop. 65				
	WARNING: This product can expose y including ethylbenzene, which is/are k			

www.P65Warnings.ca.gov.

California to cause cancer. For more information go to

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 2.3

Revision Date 10/01/2023

Print Date 04/25/2024

Further information

NFPA:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High


4 = Extreme

HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage: Store in a well-ventilated place. Keep container tightly closed. Disposal: Dispose of contents/container in accordance with local regulation.

Signal word Hazard statements

Version 2.3

Revision Date 10/01/2023

Print Date 04/25/2024

Version:	2.3
Revision Date:	10/01/2023
Print Date:	04/25/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.