Version 3.1 Revision Date 10/01/2023 Print Date 04/24/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP OXY CARPET & UPHOLSTERY SPOT CLEANER
Material number	:	000000000082801
Manufacturer or supplier's o	leta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers			
For SDS Information	:	Compliance Services - 877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616	

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	colourless, clear
Odour	odourless, mild

GHS Classification

Oxidizing liquids Skin irritation Eye irritation	: Category 1 : Category 2 : Category 2A
GHS label elements	
Hazard pictograms	Flame ov er circle
Signal word	: Danger
Hazard statements	 H271 May cause fire or explosion; strong oxidizer. H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible

Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
	 materials. P221 Take any precaution to avoi P264 Wash skin thoroughly after P280 Wear protective gloves/ pro protection/ face protection. P283 Wear fire/ flame resistant/ re Response: P302 + P352 IF ON SKIN: Wash P305 + P351 + P338 IF IN EYES for several minutes. Remove cont easy to do. Continue rinsing. P306 + P360 IF ON CLOTHING: contaminated clothing and skin w removing clothes. P332 + P313 If skin irritation occu attention. P337 + P313 If eye irritation persi attention. P362 Take off contaminated cloth P370 + P378 In case of fire: Use alcohol-resistant foam to extinguis P371 + P380 + P375 In case of m Evacuate area. Fight fire remotely Storage: P420 Store separately. Disposal: P501 Dispose of contents/contain regulation. 	handling. tective clothing/ eye etardant clothing. with plenty of water. : Rinse cautiously with water cact lenses, if present and rinse immediately ith plenty of water before urs: Get medical advice/ sts: Get medical advice/ sts: Get medical advice/ hing and wash before reuse. dry sand, dry chemical or sh. major fire and large quantities of due to the risk of explosion.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]	
hydrogen peroxide	7722-84-1	>= 5 - < 10	

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	: Get medical attention immediately. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Move out of dangerous area.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Wash off immediately with plenty of water for at least 15

Version 3.1		Revision Date 10/01/2023	Print Date 04/24/2024
		minutes. If symptoms persist, call a physician Wash contaminated clothing before If on clothes, remove clothes.	
In case of eye contact	:	Rinse immediately with plenty of wa for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a sp	
If swallowed	:	 Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 	
Most important symptoms and effects, both acute and delayed	:	Effects are immediate and delayed. Symptoms may include blistering, in Effects are dependent on exposure contact time). Causes skin irritation. Causes serious eye damage. Review section 2 of SDS to see all p	(dose, concentration,
Notes to physician	:	Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	ŧ٢
Hazardous combustion products Specific extinguishing methods	 Carbon dioxide (CO2) Carbon monoxide Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. 	
Further information	 Collect contaminated fire extinguishing water separately. The must not be discharged into drains. Fire residues and contaminated fire extinguishing water mube disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. 	
Special protective equipment	: Wear self-contained breathing apparatus for firefighting if	

Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
for firefighters	necessary.	
SECTION 6. ACCIDENTAL RELEA	ASE MEASURES	
Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment Evacuate personnel to safe areas	
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inforrespective authorities. 	
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z-1

rsion 3.1	Revision Date 10/01	/2023	Print Date 04/24/2024
	l I TWA	1 ppm	OSHA PO
		1.4 mg/r	m3
	PEL	1 ppm 1.4 mg/r	m3 CAL PEL
Engineering measures	: effective ventilation i	n all processing a	areas
Personal protective equipm	ent		
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.		
Hand protection Material Remarks	Protective glovesThe suitability for a s with the producers o		e should be discussed loves.
Eye protection	 Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. 		
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.		
Hygiene measures	When using do not s	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless, clear
Odour	: odourless, mild
Odour Threshold	: No data available
рН	: 5-6
Melting point/freezing point	: No data available
Boiling point	: 100 °C
Flash point	: does not flash
Evaporation rate	: 1
Upper explosion limit	: No data available : No data available
Lower explosion limit	i no data avallable

Revision Date 10/01/2023 Print Date 04/24/2024

Vapour pressure	: not determined
Relative vapour density	: No data available
Density	: 1 g/cm3
Solubility(ies)	
Water solubility	: soluble in cold water, soluble in hot water
Solubility in other solvents	: soluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: 3.2 mm2/s (20 °C)

SECTION 10. STABILITY AND REACTIVITY

Version 3.1

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Reducing agents Cyanides Organic materials Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Causes skin irritation. Causes serious eye damage.

Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
	Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.	
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	-
ACGIH	Confirmed animal carcinogen with unk humans hydrogen peroxide	nown relevance to 7722-84-1
OSHA	No component of this product present equal to 0.1% is on OSHA's list of regu	at levels greater than or
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg Method: Calculation method	ŋ/kg

Skin corrosion/irritation

Product:

Result: Irritating to skin. Remarks: Classification based on using a specific hazard concentration limit for skin corrosion, supported by REACH registration test data.

Serious eye damage/eye irritation

Product:

Result: Irritating to eyes. Remarks: Classification based on using a specific hazard concentration limit for eye corrosion, supported by REACH registration test data.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

Version 3.1

Revision Date 10/01/2023

Print Date 04/24/2024

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available
	No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Version 3.1	Revision Date 10/01/2023	Print Date 04/24/2024
Disposal methods		
Waste from residues	: Do not dispose of waste into sewer Do not contaminate ponds, waterw chemical or used container. Dispose of in accordance with loca	ays or ditches with
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. 	

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Version 3.1 Revision Date 10/01/2023 Print Date 04/24/2024 Components CAS-No. Component RQ Calculated product RQ (lbs) (lbs) 1000 1310-73-2 sodium hydroxide *: Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity Components CAS-No. Component RQ Calculated product RQ (lbs) (lbs) 7722-84-1 hydrogen peroxide 1000 *: Calculated RQ exceeds reasonably attainable upper limit. SARA 311/312 Hazards : Oxidiser (liquid, solid or gas) Skin corrosion or irritation Serious eye damage or eye irritation **SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. **SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. California Prop. 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 3.1

Revision Date 10/01/2023

Print Date 04/24/2024

Further information

NFPA:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	3

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Hazard pictograms	
	Flame over circle Exclamation mark
Signal word	: Danger:
Hazard statements	: May cause fire or explosion; strong oxidizer. Causes skin irritation. Causes serious eye irritation.
Precautionary statements	:
	 Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep aw ay from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Wear fire/ flame resistant/ retardant clothing. Response: IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with w ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of w ater before removing clothes. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and w ash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-

OSHA - GHS Label Information:

Version 3.1

Revision Date 10/01/2023

Print Date 04/24/2024

resistant foam to extinguish. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. **Storage:** Store separately. **Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	3.1
Revision Date:	10/01/2023
Print Date:	04/24/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.