Version 2.5 Revision Date 10/01/2023 Print Date 04/26/2024

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP ALCOHOL SANITIZER SPRAY 55GL
Material number	:	00000000000090085
Manufacturer or supplier's	deta	nils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

## Emergency telephone numbers

For SDS Information		Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

### Recommended use of the chemical and restrictions on use

This product is labeled as an over-the-counter (non-prescription) drug under the Food and Drug administration (FDA) regulations of the United States. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of FDA products may differ from those required for GHS based hazard communication.

## SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	viscous
Colour	colourless, clear
Odour	alcohol-like

## **GHS Classification**

Flammable liquids Eye irritation	:	Category 2 Category 2A
GHS label elements		
Hazard pictograms	:	Flame Exclamation mark
Signal word	:	Warning
Hazard statements	:	H226 Flammable liquid and vapour.

Version 2.5	Revision Date 10/01/2023	Print Date 04/26/2024
	H319 Causes serious eye irritatio	on.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot and other ignition sources. No sr P233 Keep container tightly closs P240 Ground/bond container and P241 Use explosion-proof electriequipment.</li> <li>P242 Use only non-sparking tool P243 Take precautionary measu P264 Wash skin thoroughly after P280 Wear protective gloves/ ey <b>Response:</b></li> <li>P303 + P361 + P353 IF ON SKIN immediately all contaminated clop P305 + P351 + P338 IF IN EYES for several minutes. Remove cor easy to do. Continue rinsing.</li> <li>P377 + P313 If eye irritation persattention.</li> <li>P370 + P378 In case of fire: Use alcohol-resistant foam to extingu Storage:</li> <li>P403 + P235 Store in a well-vent Disposal:</li> <li>P501 Dispose of contents/contai regulation.</li> </ul>	moking. ed. d receiving equipment. ical/ ventilating/ lighting ls. ures against static discharge. handling. e protection/ face protection. N (or hair): Take off othing. Rinse skin with water. S: Rinse cautiously with water htact lenses, if present and sists: Get medical advice/ e dry sand, dry chemical or ish. ilated place. Keep cool.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

## Hazardous components

Chemical name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 65
glycerol	56-81-5	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

## SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	: This product is formulated for use on skin. Discontinue use if

Version 2.5	Revision Date 10/01/2023	Print Date 04/26/2024	
	irritation and redness develop. In the workplace, if a significant exposure or spill occurs of the skin, immediately wash off with plenty of water.		
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s If in eyes, rinse with water for 15 m		
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to ar If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center.	n.	
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed Symptoms may include irritation, re Causes serious eye irritation. Review section 2 of SDS to see all	edness, pain, and rash.	
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.	

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

Version 2.5

Revision Date 10/01/2023

Print Date 04/26/2024

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Material can create slippery conditions. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8. Use non-slip safety shoes in areas where spills or leaks can occur. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Avoid contact with eyes.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>No smoking.</li> </ul>
Materials to avoid	: Oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	NIOSH REL
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,900 mg/m3	
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0

Version 2.5

Revision Date 10/01/2023

Print Date 04/26/2024

		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL
glycerol	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		PEL (Mist - total fraction)	10 mg/m3	CAL PEL
		PEL (Mist - respirable fraction)	5 mg/m3	CAL PEL
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA PO

Engineering measures

: No special ventilation requirements necessary during product use. In the workplace or during a spill, utilize effective exhaust ventilation.

Personal protective equipme	ent	
Respiratory protection	:	No personal respiratory protective equipment normally required.
		In the workplace- If a significant exposure or spill occurs, use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	This product is formulated for use on skin. No special
		protection is required.
		In the workplace- If a significant exposure or spill occurs, use chemical-resistant gloves if prolonged or frequent contact is possible or likely.
Eye protection	:	Eye protection is not required while sanitizing with this product.
		In the workplace, the use of safety glasses is recommended to avoid eye exposure during the handling of containers or during spill clean-up.
Skin and body protection	:	No special protection is required.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Version 2.5

Revision Date 10/01/2023

Print Date 04/26/2024

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	: viscous		
Colour	: colourless, clear		
Odour	: alcohol-like		
Odour Threshold	: No data available		
рН	: No data available		
Melting point/freezing point	: No data available		
Boiling point	: >72.77 °C		
Flash point	: 21 °C Method: closed cup		
Evaporation rate	: >1		
Upper explosion limit	: 12 %(V)		
Lower explosion limit	: 2 %(V)		
Vapour pressure	: not determined		
Relative vapour density	: No data available		
Density	: 0.876 g/cm3		
Solubility(ies)			
Water solubility	: soluble		
Partition coefficient: n-	: No data available		

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

## SECTION 10. STABILITY AND REACTIVITY

octanol/water

Viscosity

Auto-ignition temperature

Thermal decomposition

Viscosity, kinematic

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous	: No decomposition if stored and applied as directed.

: not determined

: No data available

: 5.3 mm2/s (20 °C)

Version 2.5	Revision Date 10/01/2023	Print Date 04/26/2024
reactions		
Conditions to avoid	: Heat, flames and sparks.	
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide	

## SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects	
Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Causes serious eye irritation. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans ethanol 64-17-5
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Components:	
ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Skin corrosion/irritation	

## Skin corrosion/irritation

## Product:

Result: No skin irritation

## Serious eye damage/eye irritation

Version 2.5

Revision Date 10/01/2023

Print Date 04/26/2024

## Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

## STOT - single exposure

No data available

## STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

#### **Further information**

## Product:

Remarks: Solvents may degrease the skin.

#### SECTION 12. ECOLOGICAL INFORMATION

## Ecotoxicity

No data available

## Persistence and degradability

#### No data available Bioaccumulative potential

### Product:

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data available
ethanol : Partition coefficient: n- octanol/water	: Remarks: No data available
glycerol : Partition coefficient: n-	: log Pow: -1.76

Version 2.5	Revision Date 10/01/2023	Print Date 04/26/2024
a atom a l ( u atom		
octanol/water		
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Dispose of in accordance with local regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.</li> </ul>
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1993, Flammable liquids, n.o.s., (ETHANOL), 3, III

Transportation Regulation: IMDG (Vessel): UN1993, FLAMMABLE LIQUID, N.O.S., (ETHANOL), 3, III

Transportation Regulation: IATA (Cargo Air): UN1993, Flammable liquid, n.o.s., (ETHANOL), 3, III

Transportation Regulation: IATA (Passenger Air): UN1993, Flammable liquid, n.o.s., (ETHANOL), 3, III

Transportation Regulation: TDG (Canada): UN1993, FLAMMABLE LIQUID, N.O.S., (ETHANOL), 3, III

Version 2.5

Revision Date 10/01/2023

Print Date 04/26/2024

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		
		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

Version 2.5

Revision Date 10/01/2023

Print Date 04/26/2024

### **SECTION 16. OTHER INFORMATION**

**Further information** 

NFPA:

HEALTH	2
FLAMMABILITY	3
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

#### HMIS III:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### **OSHA - GHS Label Information:**

Hazard pictograms

Signal w ord Hazard statements Precautionary statements Flame Exclamation mark

#### Warning: Flammable liquid and vapour. Causes serious eye irritation.

**Prevention:** Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection. **Response:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with w ater. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-

Version 2.5

### Revision Date 10/01/2023

Print Date 04/26/2024

resistant foam to extinguish. **Storage :** Store in a w ell-ventilated place. Keep cool. **Disposal :** Dispose of contents/container in accordance with local regulation.

Version:	2.5
Revision Date:	10/01/2023
Print Date:	04/26/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.