Version 5.1 Revision Date 10/01/2023 Print Date 04/20/2024

# SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP GROUT CLEANER & BRIGHTENER_QT_12CT
Material number	:	ZU104632
Manufacturer or supplier's o	leta	nils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers			
For SDS Information	:	Compliance Services - 877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616	

Recommended use of the chemical and restrictions on use

# SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	liquid
Colour	colourless, light yellow
Odour	characteristic

GHS Classification	
Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	<ul> <li>Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off</li> </ul>

Version 5.1

Revision Date 10/01/2023

immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

#### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
urea hydrochloride	506-89-8	>= 10 - < 20
hydrochloric acid	7647-01-0	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

## **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>Move out of dangerous area.</li> <li>Get medical attention immediately.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
lf inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>Remove contaminated clothing and shoes.</li> <li>Wash contaminated clothing before reuse.</li> <li>If skin irritation persists, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> </ul>

Version 5.1	Revision Date 10/01/2023	Print Date 04/20/2024
	Keep eye wide open while rinsing. If eye irritation persists, consult a s	pecialist.
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unless di physician or poison control center. Do not give milk or alcoholic bevera Never give anything by mouth to a If symptoms persist, call a physicia Take victim immediately to hospita	ages. n unconscious person. an.
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are dependent on exposure contact time).</li> <li>Effects are immediate and delayed Symptoms may include blistering, Causes severe skin burns and eye Review section 2 of SDS to see all</li> </ul>	l. irritation, burns, and pain. damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

# SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Chlorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	:	Use personal protective equipment.
protective equipment and		Ensure adequate ventilation.

Version 5.1	Revision Date 10/01/2023	Print Date 04/20/2024
emergency procedures	Remove all sources of ignition. Evacuate personnel to safe areas. Avoid dust formation.	
Environmental precautions	: Prevent product from entering drains Prevent further leakage or spillage i If the product contaminates rivers as respective authorities.	f safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent materia acid binder, universal binder, sawdu Keep in suitable, closed containers	st).

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	<ul> <li>Store and keep away from bleach.</li> <li>Oxidizing agents</li> <li>Store and keep away from bases and alkalies.</li> </ul>

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrochloric acid	7647-01-0	С	2 ppm	ACGIH
		С	5 ppm 7 mg/m3	NIOSH REL
		С	5 ppm 7 mg/m3	OSHA Z-1
		С	5 ppm 7 mg/m3	OSHA P0
		PEL	0.3 ppm 0.45 mg/m3	CAL PEL
		С	2 ppm	CAL PEL

Version 5.1	Revision Date 10/01/2023	Print Date 04/20/2024
Engineering measures	: effective ventilation in all processing an	eas
Personal protective equipment	nt	
Respiratory protection	: Use respiratory protection unless adeq ventilation is provided or exposure ass that exposures are within recommended	essment demonstrates
Hand protection		
Material Remarks	<ul> <li>Protective gloves</li> <li>The suitability for a specific workplace with the producers of the protective global</li> </ul>	
Eye protection	<ul> <li>Access to clean water to rinse eyes mainclude: eye wash stations or showers, with pure water.</li> <li>Tightly fitting safety goggles</li> <li>Wear face-shield and protective suit for problems.</li> </ul>	or eye wash bottles
Skin and body protection	: Impervious clothing Choose body protection according to t concentration of the dangerous substa	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the	end of workday.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid	
Colour	: colourless, light yellow	/
Odour	: characteristic	
Odour Threshold	: No data available	
рН	: <1	
Melting point/freezing point	: No data available	
Boiling point	: 100 °C	
Flash point	:	
	does not flash	
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: not determined	
Relative vapour density	: No data available	
Density	: 1.06 g/cm3	

Version 5.1

Revision Date 10/01/2023

Print Date 04/20/2024

Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents Bases
Hazardous decomposition products	: Carbon oxides Nitrogen oxides (NOx) Chlorine

# SECTION 11. TOXICOLOGICAL INFORMATION

# **Potential Health Effects**

Aggravated Medical Condition	:	None known.
Symptoms of Overexposure	:	Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Causes severe skin burns and eye damage. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.

## Carcinogenicity:

# SAFETY DATA SHEET

Version 5.1	Revision Date 10/01/2023	Print Date 04/20/2024
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	0
ACGIH	Confirmed animal carcinogen with un humans	known relevance to
	2-butoxyethanol Confirmed animal carcinogen with un humans	111-76-2 known relevance to
OSHA	No component of this product present equal to 0.1% is on OSHA's list of reg	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	at levels greater than or
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : 4,246 mg/ Method: Calculation method	′kg
Skin corrosion/irritation		
Product:		
Remarks: Extremely corros	sive and destructive to tissue.	
Serious eye damage/eye irrit	ation	
Product:		
Remarks: May cause irreve	ersible eye damage.	
Respiratory or skin sensitisat	ion	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		

# STOT - single exposure

No data available

# STOT - repeated exposure

No data available

# Aspiration toxicity

No data available

## Further information

Product:

Version 5.1

Revision Date 10/01/2023

Print Date 04/20/2024

Remarks: No data available

# SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation Remarks	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances This product neither contains, nor was manufactured
	with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> </ul>

Version 5.1

Revision Date 10/01/2023

Print Date 04/20/2024

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II - Limited quantity

Transportation Regulation: IMDG (Vessel): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II -Limited quantity

Transportation Regulation: IATA (Cargo Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: IATA (Passenger Air): UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (HYDROCHLORIC ACID), 8, II

Transportation Regulation: TDG (Canada): UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (HYDROCHLORIC ACID), 8, II -Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
hydrochloric acid	7647-01-0	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Skin corrosion or irritation Serious eye damage or eye irritation
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Version 5.1	Revision Date 10/01/2023	Print Date 04/20/2024
SARA 313	: This material does not contain any c known CAS numbers that exceed the reporting levels established by SARA	e threshold (De Minimis)
California Prop. 65		
	This product does not contain any California to cause cancer, birth de reproductive harm.	

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

# Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

**SECTION 16. OTHER INFORMATION** 

\_

Version 5.1

Revision Date 10/01/2023

Print Date 04/20/2024

#### **Further information**

#### NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 5.1

Revision Date 10/01/2023

Print Date 04/20/2024

Version:	5.1
Revision Date:	10/01/2023
Print Date:	04/20/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.