	Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
--	-------------	--------------------------	-----------------------

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP CONCENTRATED DRIVEWAY & CONCRETE PRESSURER WASH 1GL_4CT
Material number	:	ZUBMC128
Manufacturer or supplier's details		
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	light yellow
Odour	characteristic

GHS Classification

Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
Precautionary statements	: Prevention: P234 Keep only in original container. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
	Response:	
	P301 + P330 + P331 IF SWALLC induce vomiting.	OWED: Rinse mouth. Do NOT
	P303 + P361 + P353 IF ON SKIN immediately all contaminated clo water/shower.	· · · ·
	P304 + P340 + P310 IF INHALEI and keep comfortable for breathir POISON CENTER/doctor.	•
	P305 + P351 + P338 + P310 IF I	N EYES: Rinse cautiously with

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Disposal:

: Mixture

P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
sodium hydroxide	1310-73-2	>= 3 - < 5
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3
Sulfonic acids, C14-16-alkane hydroxy and C14-	68439-57-6	>= 1 - < 3
16-alkene, sodium salts		

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
	If skin irritation persists, call a phys	
In case of eye contact	 Small amounts splashed into eyes tissue damage and blindness. Rinse immediately with plenty of wa for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s 	ater, also under the eyelids,
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center. Take victim immediately to hospital	n. rected to do so by a
Most important symptoms and effects, both acute and delayed	 Effects are dependent on exposure contact time). Effects are immediate and delayed Symptoms may include blistering, i Causes severe skin burns and eye Review section 2 of SDS to see all 	rritation, burns, and pain. damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Water spray jet Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
Special protective equipment for firefighters	: Wear self-contained breathing necessary.	apparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	 Keep away from oxidizing agents and strongly acid or alkaline materials. Do not freeze.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components CAS-No	Value type (Form of parameters / exposure) Permissible concentration	Basis
-------------------	---	-------

ersion 1.5	Revisior	Revision Date 10/01/2023		Print Date 04/20/2024	
			1		
sodium hydroxide	1310-73-2	C	2 mg/m3	ACGIH	
		С	2 mg/m3	NIOSH REL	
		TWA	2 mg/m3	OSHA Z-1	
		C	2 mg/m3	OSHA P0	
		С	2 mg/m3	CAL PEL	
Engineering measures	: effective	ventilation in a	II processing areas		
Personal protective equip	nent				
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.				
Hand protection Material Remarks		ability for a spe	cific workplace shou e protective gloves.	uld be discussed	
Eye protection	include: with pure Tightly fi Wear fac	 Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. 			
Skin and body protection	Choose	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.			
Hygiene measures	When us	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: light yellow
Odour	: characteristic
Odour Threshold	: No data available
рН	: 13 - 14
Melting point/freezing point	: No data available
Boiling point	: 98.9 °C
Flash point	:
	does not flash
Evaporation rate	: 1

/ersion 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
	No data available	
Relative vapour density	: No data available	
Density	: 1.06 g/cm3	
Solubility(ies)		
Water solubility	: soluble in cold water, soluble in ho	t water
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Not applicable
Incompatible materials	: Oxidizing agents Acids This product contains sodium hydroxide or potassium hydroxide that may corrode some soft metals and may react with tin, zinc, aluminum to form hydrogen gas.
Hazardous decomposition products	: Carbon oxides Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
Aggravated Medical Condition Symptoms of Overexposure	 None known. Effects are dependent on exposure contact time). Effects are immediate and delayed. Symptoms may include blistering, ir Causes severe skin burns and eye Review section 2 of SDS to see all Treat symptomatically. Symptoms 	ritation, burns, and pain. damage. potential hazards.
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable, human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with unk humans 2-butoxyethanol	nown relevance to 111-76-2
OSHA	No component of this product present equal to 0.1% is on OSHA's list of regu	5
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	at levels greater than or
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg Method: Calculation method	ı/kg
Components:		
sodium hydroxide: Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,35	0 mg/kg
Alcohols, C9-11, ethoxylate Acute oral toxicity		
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosive	e and destructive to tissue.	
Serious eye damage/eye irritati	on	
Product:		
Remarks: May cause irreversi	ible eye damage.	
Respiratory or skin sensitisation	I	
No data available		

Germ cell mutagenicity

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data available		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l Exposure time: 96 h Test Method: static test
LC50 (Oncorhynchus tshawytscha (chinook salmon)): 152 mg/l Exposure time: 96 h
LC50 (Oncorhynchus mykiss (rainbow trout)): 40 mg/l Exposure time: 48 h
EC50 (Daphnia magna (Water flea)): 34 - 47 mg/l Exposure time: 48 h
EC50 (Crangon crangon (shrimp)): 33 - 100 mg/l Exposure time: 48 h

Persistence and degradability

Version 1.5	Revision Date 10/01/2023	Print Date 04/20/2024
NI 17 111		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation Remarks	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances This product neither contains, ne with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	tion 602 Class I or was manufactured s defined by the U.S.
Additional ecological information	: No data available	
<u>Components:</u> sodium hydroxide :		
Additional ecological information	: Harmful to aquatic life.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer.
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Version 1.5

Revision Date 10/01/2023

Print Date 04/20/2024

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Skin corrosion or irritation Serious eye damage or eye irritation	
SARA 302	No chemicals in this material are subject to the reportin requirements of SARA Title III, Section 302.	g
SARA 313	This material does not contain any chemical componen known CAS numbers that exceed the threshold (De Mi reporting levels established by SARA Title III, Section 3	nimis)
California Prop. 65		

Version 1.5

Revision Date 10/01/2023

Print Date 04/20/2024



WARNING: This product can expose you to chemicals including ethylbenzene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL TSCA

All components of this product are on the Canadian DSL On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 1.5

Revision Date 10/01/2023

Print Date 04/20/2024

Further information

NFPA:

HEALTH	3
FLAMMABILITY	0
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms

Signal word

Hazard statements

Precautionary statements



 Danger:

 May be corrosive to metals. Causes severe skin burns and eye damage.

 Prevention: Keep only in original container. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

 Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with w ater/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Disposal: Dispose of contents/container in accordance with local regulation.

Version 1.5

Revision Date 10/01/2023

Print Date 04/20/2024

Version:	1.5
Revision Date:	10/01/2023
Print Date:	04/20/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.